

AXESS®

Where Technology & Creativity Meet



AXESS Products Corporation

www.axessusa.com • www.boombugs.com • email: info@axessusa.com

6639 Valjean Ave., Van Nuys, California 91406 • Toll Free: 888-232-4146

AXESS is a registered trademark of Axess Products Corp. All rights for use of the trademark is reserved and protected by law. All other trademarks and logo are property of their respective owners unless indicated otherwise. No logos, pictures and/or portion of this packaging can be redistributed or copied without prior consent of Axess Products Corp. Designs, features, specifications, and availability are subject to change without prior notice.

© 2013 AXESS Products Corporation. All rights reserved.

Follow Us:



AXESS®

20 14

CATALOG 72°F
75°F / 68°F



Twitter



YouTube



Google Drive



Camera



Calendar



Email

5:19

MISSION STATEMENT AND ABOUT US

Axess Products Corporation is the vision culminating over 70 years combined experience in the consumer electronics and computer peripherals industry. Our mission is to provide consumers with products which are far more advanced than what is on the market, with the latest and most unique designs, innovations, superior quality and reasonable value to meet and exceed the consumer's expectations.

Our research and development team is constantly in search of innovative and useful products to add to our expanding regular and premium lines. We are constantly at the forefront of the latest technological innovations and developments. Our internal sales, support and logistics staff are committed to providing our customers and consumers with the best service and support.

We are always open to new opportunities to expand our distribution channels throughout North, Central and South America as well as other parts of the world.

If you are interested in our channel distribution please contact our sales department at sales@axessusa.com or 888-232-4145.



TABLE OF CONTENTS

▶ TABLETS	3
▶ LED TV	14
▶ LCD TV	17
▶ LED TV/DVD	18
▶ CONVERTER BOX	21
▶ PORTABLE BOOM BOX	22
▶ MINI ENTERTAINMENT SYSTEM	24
▶ PORTABLE SPEAKERS	26
▶ BLUETOOTH SOUND BARS	29
▶ BLUETOOTH SPEAKERS	30
▶ BLUETOOTH SHOWER SPEAKERS	33
▶ EARBUDS	34
▶ HEADPHONES	36
▶ POWER BANKS	40
▶ MICROPHONES	46
▶ MULTI-ROOM WI-FI SPEAKER SERIES	49
▶ PA SYSTEMS & KARAOKE	50
▶ ALARM CLOCKS/RADIOS	51
▶ ANTENNAS	52
▶ ACCESSORIES	53
▶ TABLET ACCESSORIES	54



TABT2503-7 7" Tablet

BLUETOOTH

- Operating system: Android™ 4.0 + Capacitive Screen (G+G)
- CPU: VIA WM 8850 Cortex A9 1.5GHz
- Display: 16:9, 7-inch 800x480-pixel resolution
- 4GB Storage, DDR3: 512MB Memory
- Sensors: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G Dongles and Ethernet with Adapter
- Video Formats Supported: All formats up to 1080p
- Front Camera, Photos, and Video Recording: VGA up to 30 FPS with Audio; 1.3M-quality still camera

- Power & Battery: Built-in 3000mAh lithium battery
- Input/Output: USB Port, Mini USB Port, HDMI Output, 3.5-mm Stereo Headphone Jack, Micro SD Card Slot, Built-in Speaker/Microphone, TF card slot
- Bluetooth: Version 4.0

COLOR: Red	MODEL: TABT2503-7RD	UPC: 818443011473
COLOR: White	MODEL: TABT2503-7WT	UPC: 818443011480
COLOR: Black	MODEL: TABT2503-7BK	UPC: 818443011466

FC CE RoHS USB HDMI HD

TA2504-7 7" Tablet

- CPU: Allwinner A13 Cortex A8 1.2 GHZ.
- Android™ Jelly Bean 4.1
- 16:9 Display: 7 inch 800x480 Pixel Resolution
- Capacitive Screen
- 4GB Storage, DDR 512MB Memory
- Sensor: G-Sensor
- Wireless & Cellular: Wi-Fi (802-11 b/g/n), Support for 3G Dongles and Ethernet with Adapter
- Software Support: Google Map, App Market, Email, etc.
- Dual Camera: Front 0.3 Mega Pixel / Rear, 0.3 Mega Pixel VGA up to 30 FPS with Audio

- Video Format Supported: All Formats Up To 1080P
- Power & Battery: 2000 mAh Rechargeable Lithium Battery - 2 to 4 hours use
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Built In Speaker, Microphone, Micro SD Card Slot up to 32 GB

COLOR: Black	MODEL: TA2504-7BK	UPC: 818443011497
COLOR: White	MODEL: TA2504-7WT	UPC: 818443011503
COLOR: Red	MODEL: TA2504-7RD	UPC: 818443012517
COLOR: Pink	MODEL: TA2504-7PK	

FC CE RoHS USB HD

Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.



TA2510-7 7" Dual Core Tablet

**DUAL
CORE!**

- CPU: Dual Core A20 Cortex A7 1.2 GHZ
- Android™ 4.2 Jelly Bean
- 7" 16:9 Display 800x480 Pixel Resolution
- 4GB Storage, DDR3: 512MB
- Sensors: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 B/G/N)
- Support for 3G Dongles and Ethernet with Adapter
- Video Formats Supported: All Formats up to 1080P
- Dual Camera, Photos, and Video Recording: 0.3MP; 1.3MM-Quality Still Camera

- Power & Battery: Built-In 3000 mAh Lithium Battery
- Input / Output: Mini USB Port, HDMI Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, Built-In Speaker/Microphone

COLOR: Black	MODEL: TA2510-7BK	UPC: 818443011985
COLOR: White	MODEL: TA2510-7WT	UPC: 818443011992
COLOR: Red	MODEL: TA2510-7RD	UPC: 818443012142
COLOR: Pink	MODEL: TA2510-7PK	UPC: 818443012159

FC CE RoHS USB HDMI HD

TA2511-7 7" Dual Core Tablet

**DUAL
CORE!**

- CPU: Dual Core RockChip 3168 Cortex A9 1.2 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 Display 800x480 Resolution
- 4GB Storage, 512MB Memory
- Dual Camera, Photos, and Video Recording: 0.3MP Front, 0.3MP BACK; 1.3 MM-Quality Still Camera
- Sensors: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G Dongles and Ethernet with Adapter
- Video Formats Supports: All Formats up to 1080P

- Power & Battery: Built-In 2800 mAh Lithium Battery (4-6 Hours of Use)
- Input / Output: Mini USB Port, HDMI Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, Built-In Speaker/Microphone

COLOR: Black	MODEL: TA2511-7BK	UPC: 818443012005
COLOR: White	MODEL: TA2511-7WT	UPC: 818443012012
COLOR: Red	MODEL: TA2511-7RD	UPC: 818443012128
COLOR: Pink	MODEL: TA2511-7PK	UPC: 818443012135

FC CE RoHS USB HDMI HD



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

DUAL
CORE

TABLETS 7"

& 3G
& TV

TABLETS 7"

**TA2522-7 7" Dual Core Tablet**

- CPU: Allwinner Dual Core A23 Cortex A7 1.0x2 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 800x480 pixel resolution
- 4GB Storage, 512 MB memory
- Sensor: G-sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures

**DUAL
CORE!**

- 2,800 mAh battery up to 6 hours playing time
- Input/Output: Mini USB Port, 3.5mm stereo headphone jack, Micro SD card slot
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2522-7BK
 COLOR: White MODEL: TA2522-7WT
 COLOR: Red MODEL: TA2522-7RD
 COLOR: Pink MODEL: TA2522-7PK



RoHS



HD

**TA2523-7 7" Dual Core Tablet**

- CPU: RockChip Dual Core 3026 Cortex A7 1.0 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 800x480 pixel resolution
- 4GB Storage, 512 MB memory
- Sensor: G-sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures

**DUAL
CORE!**

- 2,800 mAh battery up to 6 hours playing time
- Input/Output: Mini USB Port, 3.5mm Stereo Headphone Jack, Micro SD Card Slot
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2523-7BK
 COLOR: White MODEL: TA2523-7WT
 COLOR: Red MODEL: TA2523-7RD
 COLOR: Pink MODEL: TA2523-7PK



RoHS



HD

**3G!****TA3G2524-7
7" Dual Core Tablet
with 3G Wireless****DUAL
CORE!**

- CPU: AMLogic MTK8312 Dual Core Cortex A7 1.3 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 1024x600 pixel resolution
- 4GB Storage, 1 GB memory
- Support (GSM 850/900/1800/1900, WCDMA 2100/850)
- Sensor: G-Sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/2.0MP
- 2,800 mAh battery - up to 5 hours playing time
- Input / Output: Mini USB Port, 3.5mm Stereo Headphone Jack, Micro SD Card Slot, HDMI Port
- In Black, Red, White, Pink colors

COLOR: Black
 COLOR: White
 COLOR: Red
 COLOR: Pink

MODEL: TA3G2524-7BK
 MODEL: TA3G2524-7WT
 MODEL: TA3G2524-7RD
 MODEL: TA3G2524-7PK

UPC: 818443011572
 UPC: 818443011589
 UPC: 818443012593
 UPC: 818443012609



3G



HDMI

**TATV2525-7 7"
Dual Core ATSC TV Tablet**

- CPU: AMLogic MTK9726-MX Dual Core Cortex A9 1.0x2 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 1024x600 Pixel Resolution
- 8GB Storage, 1 GB Memory
- Sensor: G-sensor
- Bluetooth
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/2.0MP
- 3,000 mAh battery up to 5 hours playing time
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, HDMI Port
- In Black and White colors

**DUAL
CORE!**

COLOR: Black MODEL: TATV2525-7BK
 COLOR: White MODEL: TATV2525-7WT



RoHS



HDMI



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

TA2516-7 7" Quad Core Tablet

- CPU: Allwinner Quad Core A31 Cortex A7 1.2x4 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 800x480 pixel resolution
- 4GB Storage, 1GB memory
- Sensor: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G Dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures
- 3,000 mAh battery up to 6 hours playing time
- Input / Output: Mini USB Port, 3.5mm stereo headphone jack, Micro SD card slot, HDMI port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2516-7BK
COLOR: White MODEL: TA2516-7WT
COLOR: Red MODEL: TA2516-7RD
COLOR: Pink MODEL: TA2516-7PK



TA2517-7 7" Quad Core Tablet with Bluetooth

- CPU: Rockchip Quad Core 3188 Cortex A9 1.6 GHZ.
- Operating System: Android™ 4.2 Jelly Bean
- 7" 16:9 display 800x480 pixel resolution
- 4GB Storage, 1GB memory
- Sensor G-Sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Bluetooth
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures
- 3,000 mAh battery up to 6 hours playing time
- Input / Output: mini USB port, 3.5mm stereo headphone jack, Micro SD card slot, HDMI port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2517-7BK
COLOR: White MODEL: TA2517-7WT
COLOR: Red MODEL: TA2517-7RD
COLOR: Pink MODEL: TA2517-7PK



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.



TA2512-9 9" Dual Core Tablet

- Chip: Dual Core RockChip 3168 CPU 1.2 GHZ
- 9" 16:9 Display 1024x600 Pixel Resolution
- Android™ 4.2.2 Jelly Bean
- 8GB Storage, 1GB Memory
- Sensor: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Video Formats Supported: All Formats up to 1080P
- Dual Camera: 0.3MP Front/0.3MP Back, Photos and Video Recording

COLOR: White MODEL: TA2512-9WT
COLOR: Black MODEL: TA2512-9BK
UPC: 818443012036
UPC: 818443012029



- Power & Battery: Built-In 4000 mAh Lithium Battery, up to 6 Hours of Playtime
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, Built-In Speaker/Microphone

COLOR: White MODEL: TA2512-9WT
COLOR: Black MODEL: TA2512-9BK
UPC: 818443012036
UPC: 818443012029



TA2518-9 9" Quad Core Tablet

- CPU: Allwinner Quad Core A31 Cortex A7 1.2x4 GHZ.
- Operating System: Android 4.2 Jelly Bean
- 9" 16:9 display 1024x600 pixel resolution
- 8GB Storage, 1GB memory
- Sensor: G-Sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures

COLOR: Black MODEL: TA2518-9BK
COLOR: White MODEL: TA2518-9WT
COLOR: Red MODEL: TA2518-9RD
COLOR: Pink MODEL: TA2518-9PK



- 4,000 mAh battery up to 6 hours playing time
- Input / Output: mini USB port, 3.5mm stereo headphone jack, Micro SD card slot, HDMI port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2518-9BK
COLOR: White MODEL: TA2518-9WT
COLOR: Red MODEL: TA2518-9RD
COLOR: Pink MODEL: TA2518-9PK



TA2519-9 9" Quad Core Tablet

- CPU: Rockchip Quad Core 3188 Cortex A7 1.6x4 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 9" 16:9 display 1024x600 pixel resolution
- 8GB Storage, 1GB memory
- Sensor: G-Sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Bluetooth
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures

Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.



- 4,000 mAh battery up to 6 hours playing time
- Input/Output: mini USB port, 3.5mm Stereo Headphone Jack, Micro SD card slot, HDMI port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2519-9BK
COLOR: White MODEL: TA2519-9WT
COLOR: Red MODEL: TA2519-9RD
COLOR: Pink MODEL: TA2519-9PK





TA2513-10 10.1" Dual Core Tablet

- CPU: Dual Core RockChip 3066 CPU
- Operating System: Android™ 4.2.2 Jelly Bean
- 10.1" 16:9 Display 1024x600 Pixel Resolution
- 8GB Storage, 1GB Memory
- Sensor: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Video Formats Supported: All Formats up to 1080P
- Dual Camera 0.3MP Front/0.3MP Back, Photos and Video Recording

**DUAL
CORE!**

- Power & Battery: Built-In 5000 mAh Lithium Battery, up to 6 Hours of Playtime
- Input / Output: Mini USB Port, HDMI Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, Built-In Speaker/Microphone

COLOR: White MODEL: TA2513-10WT UPC: 818443012050

FC CE RoHS **HDMI HD**

TA2514-10 10.1" Dual Core Tablet

- CPU: Dual Core A20 CPU Cortex A7 1.2 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 10.1" 16:9 Display 1024x600 Resolution
- Dual Camera: 0.3MP Front, 0.3MP Back - for Photos and Video Recording
- 8GB Storage, 1GB Memory
- Sensors: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Video Formats Supported: All Formats up to 1080P

**DUAL
CORE!**

- Power & Battery: Built-In 5000 mAh Lithium Battery, up to 6-8 Hours of Playtime
- Input / Output: Mini USB Port, HDMI Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, Built-In Speaker/Microphone

COLOR: Black MODEL: TA2514-10WT UPC: 818443012081
COLOR: White MODEL: TA2514-10WT UPC: 818443012098

FC CE RoHS **HDMI HD**

Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

TA2520-10 10.1" Quad Core Tablet

- CPU: Allwinner Quad Core A31 Cortex A7 1.2 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 10.1" 16:9 display 1024x600 pixel resolution
- 8GB Storage, 1GB memory
- Sensor: G-sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All Video Formats including 1080P
- Dual Camera Photos and Video Camera 0.3/0.3MP 1.3-2 MP still pictures

**QUAD
CORE!**

- 5,000 mAh Battery, up to 6 Hours Playing Time
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, HDMI Port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2520-10BK
COLOR: White MODEL: TA2520-10WT
COLOR: Red MODEL: TA2520-10RD
COLOR: Pink MODEL: TA2520-10PK

FC CE RoHS **HDMI HD**

TA2521-10 10.1" Quad Core Tablet

- CPU: Rockchip Quad Core 3188 Cortex A9 1.6 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 10.1" 16:9 display 1024x600 pixel resolution
- 8GB Storage, 1GB memory
- Sensor: G-sensor
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Bluetooth
- All video formats including 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures

**QUAD
CORE!**

- 5,000 mAh battery up to 6 hours playing time
- Input/Output: mini USB port, 3.5mm stereo headphone jack, Micro SD card slot, HDMI port
- In Black, Red, White, Pink colors

COLOR: Black MODEL: TA2521-10BK
COLOR: White MODEL: TA2521-10WT
COLOR: Red MODEL: TA2521-10RD
COLOR: Pink MODEL: TA2521-10PK

FC CE RoHS **HDMI HD**



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger

*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.



GOOGLE
CERTIFIED

GMS TABLETS

KIDS TABLETS



TAGMS2501-7 7" Google-Certified GMS Dual Core Tablet

- CPU: 7" AMlogic Dual Core 8726-MXS Cortex A9 1.5 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 4GB Storage, 1GB Memory
- 800x480 Panel
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera 0.3MP front and 2.0MP back
- 2,800 mAh battery up to 6 hours playing time
- Input/Output: Mini USB port, 3.5 MM Stereo Headphone Jack, Micro SD card slot, HDMI Port
- In Black or White

**DUAL
CORE!**

GMS!

COLOR: Black MODEL: TAGMS2501-7BK
COLOR: White MODEL: TAGMS2501-7WT

FC CE RoHS USB HDMI HD

TAGMS2502-10 10.1" Google-Certified GMS Dual Core Tablet

- CPU: 10.1" AMlogic Dual Core 8726-MXS Cortex A9 1.5 GHZ
- Operating System: Android™ 4.2 Jelly Bean
- 4GB Storage, 1GB Memory
- 1024x600 Panel
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- All video formats including 1080P
- Dual Camera 0.3MP front and 2.0MP back
- 5,600 mAh battery up to 6 hours playing time
- Input/Output: Mini USB port, 3.5 MM Stereo Headphone Jack, Micro SD card slot, HDMI Port
- In Black or White

**DUAL
CORE!**

GMS!

COLOR: Black MODEL: TAGMS2501-7BK
COLOR: White MODEL: TAGMS2501-7WT

FC CE RoHS USB HDMI HD



TAKI2526-7 Kids 7" Tablet

- Operating System: Android 4.1/Android 4.2
- CPU: RockChip Dual Core 3026 Cortex A7 1.0 GHZ
- 7" TFT LCD, 1024x600, 16:9 Display
- Memory: 512MB DDR3
- Storage: 4GB, TF Card up to 32GB
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Camera: Front 0.3MP, Back 0.3MP
- Battery & Power: 3.7V 3300 mAh
- Colors: Blue, Green, Pink, Orange

**DUAL
CORE!**

COLOR: Blue MODEL: TAKI2526-7BL
COLOR: Green MODEL: TAKI2526-7GN
COLOR: Pink MODEL: TAKI2526-7PK
COLOR: Orange MODEL: TAKI2526-7OR

FC CE USB HD



TAKI2527-7 Kids 7" Tablet

- Operating System: Android 4.1/Android 4.2
- CPU: RockChip Dual Core 3028 Cortex A9 1.6 GHZ
- 7" TFT LCD, 1024x600, 16:9 Display
- Memory: 512MB DDR3
- Storage: 4GB, TF Card up to 32GB
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Camera: Front 0.3MP, Back 0.3MP
- Battery & Power: 3.7V 3300 mAh
- Colors: Blue, Green, Pink, Orange

**DUAL
CORE!**

COLOR: Blue MODEL: TAKI2527-7BL
COLOR: Green MODEL: TAKI2527-7GN
COLOR: Pink MODEL: TAKI2527-7PK
COLOR: Orange MODEL: TAKI2527-7OR

FC CE USB HD HDMI



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
*One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

TAKI2528-7

Kids 7" Tablet

- Operating System: Android 4.1, Parental Control
- CPU: RockChip 2926 1.0 GHZ ARM Cortex A9
- 7" TFT LCD, 800x480, 16:9 Display
- Memory: 512MB DDR3
- Storage: 4GB, TF Card up to 32GB
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Camera: Front 0.3MP
- Battery & Power: 2800 mAh
- Colors: Pink, Orange

COLOR: Pink

MODEL: TAKI2528-7PK

COLOR: Orange

MODEL: TAKI2528-7OR



TAKI2529-7

Kids 7" Tablet

- Operating System: Android 4.1, Parental Control
- CPU: Dual Core RockChip 3026 1.0 GHZ ARM Cortex A9
- 7" TFT LCD, 800x480, 16:9 Display
- Memory: 512MB DDR3
- Storage: 4GB, TF Card up to 32GB
- Wi-Fi (802.11 b/g/n), Support for 3G dongles and Ethernet with Adapter
- Camera: Front 0.3MP
- Battery & Power: 2800 mAh
- Colors: Pink, Orange

COLOR: Pink

MODEL: TAKI2528-7PK

COLOR: Orange

MODEL: TAKI2528-7OR



TV1701-13

13.3" Widescreen HD LED TV

- Max Resolution: 1366 X 768
- Contrast Ratio: 500:1
- Brightness: 200 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: ≤1W

UPC: 818443010766

TV1701-15

15.6" Widescreen HD LED TV

- Max Resolution: 1440 X 900
- Contrast Ratio: 800:1
- Brightness: 330 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: ≤1W

UPC: 818443010681



Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
 *One year limited warranty with proof of purchase. **Actual available tablet unit might have a different casing than specified in the picture.

TV1701-19 19" Widescreen HD LED TV

- Max Resolution: 1366 X 768
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤32W
- Power Consumption in Stand by: ≤1W

UPC: 818443010698



TV1701-24 24" Widescreen HD LED TV

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤48W
- Power Consumption in Stand by: 1W

UPC: 818443010773

TV1701-22 22" Widescreen HD LED TV

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤42W
- Power Consumption in Stand by: ≤1W

UPC: 818443010704



TV1701-32 32" Widescreen HD LED TV

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- Built in USB Input Slot
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter
- Power Supply AC100-60Hz
- Power Consumption in Operation: ≤48W
- Power Consumption in Stand by: 1W

UPC: 818443010780



TV1703-7 7" Portable TV ATSC with Rechargeable Battery

- 7" Widescreen LCD TV
- Built-in Digital TV Tuner
- Built-in Lithium Rechargeable Battery
- Selectable Screen Mode: 16:9
- Resolution: 800 x 480
- On Screen Display
- AV Input/Output Jack
- Rotary Rod Antenna
- Earphone Jack
- Built-in Speakers
- AC/DC Operation: Watch Your Favorite Shows at Home or on the Go
- Full Function Remote Control

GENERAL:

- Power: UL Approved Adapter: AC 100-240v-, 50/60Hz & DC 9-12 Volt Compatibility
- Maximum Power Consumption: 18W
- Input Terminals: Component, Audio/Video/Audio Headphones



TV1703-9 9" Portable TV ATSC with Rechargeable Battery

- 9" Widescreen LCD TV
- Built-in Digital TV Tuner
- Built-in Lithium Rechargeable Battery
- Selectable Screen Mode: 16:9
- Resolution: 800 x 480
- On Screen Display
- AV Input/Output Jack
- Rotary Rod Antenna
- Earphone Jack
- Built-in Speakers
- AC/DC Operation: Watch Your Favorite, Shows at Home or on the Go
- Full Function Remote Control

GENERAL:

- Power: UL Approved Adapter: AC 100-240v-, 50/60Hz & DC 9-12 Volt Compatibility
- Maximum Power Consumption: 18W
- Input Terminals: Component, Audio/Video/ Audio Headphones



TVD1801-15 15.6" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1440 X 900
- Contrast Ratio: 800:1
- Brightness: 330 cd/m2
- Aspect Ratio: 16:10
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: 1W

UPC: 818443010728

TVD1801-13 13.3" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1366 X 768
- Contrast Ratio: 500:1
- Brightness: 200 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: 1W

UPC: 818443010711





TVD1801-19 19" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1366 X 768
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤32W
- Power Consumption in Stand by: 1W

UPC: 818443010735

TVD1801-24 24" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤48W
- Power Consumption in Stand by: 1W

UPC: 818443010759



TVD1801-22 22" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤42W
- Power Consumption in Stand by: 1W

UPC: 818443010742



TVD1801-32 32" Widescreen HD LED TV DVD COMBO

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- Built in USB Input Slot and SD Card Reader
- HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input, S-Video Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter
- Power Supply AC110 50Hz
- Power Consumption in Operation: ≤48W
- Power Consumption in Stand by: 1W

UPC: 818443010797



CB3000 Converter Box

- Fully Compatible with ATSC MPEG-2
- HDMI Output
- Auto Scan & Manual Scan
- Support EPG
- Support Parent Control
- Support Closed-Caption
- OSD Language Multi Language
- Record Function
- Video Output Ratio 3:4, Full Screen, Center Image
- Input Voltage Range: 100 VAC ~ 240VAC
- Power Consumption: Max 8W • Stand-by Mode: <1W

- Antenna Input
- RF Output
- Analog Video/Audio Output
- Full Function Remote Control
- Audio Dolby Digital
- Remote Control, AV Cable, AC Adapter, Warranty Card, & User Manual

UPC: 818443012616

HDMI FC CE UL

PB2703 Portable Boombox

- Power Supply: AC 120V 60HZ / DC 12V Size "C" 8pcs
- Power Consumption: 15W
- Dimensions of Unit: 11.8"(W) X 10.6"(H) X 5.4"(D)
- Radio Frequency Range: FM: 88-108 MHZ AM: 530-1600KHZ
- Antenna: FM: Telescopic Rod; AM: Ferrite Bar
- CD Section: Top-Loading CD/MP3 Player
- CD Size: 5" & 3" Compatible
- Speaker Size: 3"

UPC CODE
RED: 818443011916

BLACK: 818443011909

**Batteries not included.



PB2704 Portable Boombox

- Power Supply: AC 120V 60HZ / DC 12V Size "C" 8pcs
- Power Consumption: 15W
- Dimensions of Unit: 13.9"(W) X 10.3"(H) X 5.8"(D)
- Radio Frequency Range: FM: 88-108 MHZ AM: 530-1600KHZ
- Antenna: FM: Telescopic Rod; AM: Ferrite Bar
- CD Section: Top-Loading CD/MP3 Player
- CD Size: 5" AND 3" Compatible
- Speaker Size: 3"

UPC CODE
RED: 818443011930

BLUE: 818443011923

**Remote Control included. **Batteries not included.



PBBT2701 Portable CD/MP3 Boombox with Bluetooth

- FM PLL Stereo Radio
- Bluetooth
- USB 2.0 Full Speed
- Max. Output Power: 1.2W x 2 Total 2.4W -3.5mm Aux In Jack
- AC/DC Power

UPC: 818443011060

**Remote Control included. **Batteries not included.





PBBT2702 Portable CD/MP3 Boombox with Bluetooth

- FM PLL Stereo Radio
- Bluetooth Wireless Stereo
- SD/MMC Card Slot
- USB 2.0 Full Speed
- Full Function Remote Control
- Output Power: 2.5W x 2 = 5w
- AC/DC Power

UPC: 818443011084

**Remote Control included. **Batteries not included.



PB2706 Portable CD/MP3 Boombox

- AM/FM Stereo Radio
- USB 2.0 Full Speed
- 3.5 MM Auxiliary Jack
- Output Power: 1.2W x2 Total 2.4W
- AC/DC Power
- AC 110-120V Direct Connect

UPC: 818443010803

**Batteries not included.



PBBT2707 Portable CD/MP3 Boombox

- AM/FM Stereo Radio
- SD/MMC Card Slot
- USB 2.0 Full Speed
- 3.5 MM Auxiliary Jack
- Output Power: 2.5W x2 Total 5W
- AC/DC Power
- AC 110-120V Direct Connect

UPC: 818443010810

**Batteries not included.



MS1201 Mini Entertainment System with Bluetooth

- FM Stereo Radio, Frequency Range: 88~108MHZ
- Bluetooth/SD Card Slot/USB 2.0 Full Speed
- Full Function Remote Control
- Frequency Response: (Speaker) 160 HZ ~ 20KHZ, (Main Unit) 20 HZ ~ 200 HZ
- Power Supply: AC220-240V, 50/60 HZ
- Bass Up/Down: ±15 db
- S/N Ratio: ≥60db, Separation: ≥40db
- Impedance: 4 Ω
- Output Power: 20W + 10W x 2

**Remote Control and Audio Cables included with User Manual. 2 AA Batteries included.



MS1202 Mini Entertainment System with Bluetooth

- FM Radio
- Bluetooth/SD Card Slot/USB 2.0 Full Speed
- Full Function Remote Control
- Output Power: 20W + 3W X 5
- Frequency Response: (Speaker) 160Hz~20KHz, (Main Unit) 40Hz~200Hz
- S/N Ratio: ≥60db, Separation: ≥ 45db
- Bass Up/Down: ±15db
- Power Supply: AC220V-240, 50Hz/60Hz
- Speaker Unit: Main Unit – 10.2cm (4Ω)
- Satellite – 7.62cm (4Ω) x 5
- Frequency Range: 88~108MHz

**Remote Control and Audio Cables included with User Manual. Batteries not included.



MSBT1201 15" Bluetooth Music Bean

- Output Power: 15W x 2 = 30W at 10% THD
- Volume Control
- Ample full range sound quality
- Support Bluetooth profiles A2DP Wireless Stereo
- Operating range up to 10m (measured in open space, walls and structures may affect range)
- Bluetooth LED indicator
- 3.5mm aux jack

UPC: 818443011077



MSBT1208 Mini Entertainment System with Bluetooth

- RMS power: 25w
- Input Impedance: 10K Ω
- Input Port: stereo 3.5mm Line-In
- Control: Volume/Bass/Treble/Remote Control/Bluetooth

SPEAKER UNIT:

- Woofer: 5", 4 Ω , 15W
- Satellite: 3", 4 Ω , 5W
- S/N Ratio: ≥ 75 dB
- Power Supply: AC 220V/50HZ
- Subwoofer: 165mm (W) x 230mm (D) x 217mm (H)
- Satellite: 86mm (W) x 179mm (D) x 103mm (H)
- Bluetooth Version: Bluetooth 2.1+ EDR

**Remote Control and Audio Cables included with User Manual. Batteries not included.



MSBT1210 Mini Entertainment System with Bluetooth

- Wooden cabinet, High-end color mixing
- Piano finished panel
- LED display
- USB/SD/Remote Function/Bluetooth
- R.M.S: 18W+10W*2
- Drive Unit: Subwoofer 5" 4 Ω 35W x1 + Satellite 3" 4 Ω 15W x2
- Frequency Response: 40Hz-20KHz
- Separation: ≥ 45 dB, Distortion: $\geq 0.3\%$, S/N: ≥ 80 dB
- Woofer size (LxDxH): 155mm x 315mm x 270mm
- Satellite size (LxDxH): 90mm x 98mm x 172mm

**Remote Control and Audio Cables included with User Manual. Batteries not included.



MSBT1211 Mini Entertainment System with Bluetooth

- Wooden cabinet
- High-end color mixing
- Blue LED Power light
- Cloth cover in Satellite
- USB/SD/Remote Function/Bluetooth
- R.M.S: 30W+10Wx5
- Drive Unit: Subwoofer 5.25" 8 Ω 35W x1 + Satellite 3" 4 Ω 15W x5
- Frequency Response: 40Hz-20KHz
- Separation: ≥ 45 dB, Distortion: $\geq 0.3\%$, S/N: ≥ 80 dB
- Woofer size (LxDxH): 170mm x 354mm x 313mm
- Satellite size (LxDxH): 110mm x 119mm x 201mm

**Remote Control and Audio Cables included with User Manual. Batteries not included.



SP1001

- Hi-Fi stereo speaker supports USB, SD card
- Line-in function can support other devices: Mp3/4 or PC etc.
- Remote Control included to operate easily
- Built-in rechargeable battery
- Back-up battery cassette, support Nokie 5B battery (not included) power supply
- FM PLL Radio
- Material: wood
- Frequency Response: 200-20KHZ
- Battery capacity: 800mAh
- DC charger: 5v
- Accessories: charge cable, audio cable, manual, remote control

COLOR: Red MODEL: SP1001-RD UPC: 818443010872
 COLOR: Blue MODEL: SP1001-BL UPC: 818443010889
 COLOR: Gold MODEL: SP1001-GL UPC: 818443010896
 COLOR: Silver MODEL: SP1001-SL UPC: 818443010902



SP1002

- Hi-Fi stereo speaker, Powerful sound
- Support USB & SD card
- With LED Display Only show the digital number
- Line-in Function, can support external audio players (iPod, iPhone, iPad, MP3/MP4/Computer etc.)
- Built-in rechargeable battery
- Battery backup case at the bottom, support 5B lithium battery (not included)
- FM PLL Radio
- Comes with remote control for easy use
- Material: wood
- Frequency Response: 200-20KHZ
- Battery capacity: 800mAh
- DC charger: 5v
- Accessories: charge cable, audio cable, manual, remote control

COLOR: Red MODEL: SP1002-RD UPC: 818443010919
 COLOR: Blue MODEL: SP1002-BL UPC: 818443010926
 COLOR: Gold MODEL: SP1002-GL UPC: 818443010933
 COLOR: Silver MODEL: SP1002-SL UPC: 818443010940



SP1003

- Hi-Fi Stereo Speaker with Subwoofer
- With LED screen display, USB and SD card supporting
- With FM radio & handle, for easy transport
- Built-in rechargeable battery 1200mAh
- Side panel control for volume and bass
- Audio input, suitable for PC, MID, TV, iPhone, iPad, and other audio device
- Very clear sound and heavy bass for music, dynamic sound effect, virtual surround sound
- Input: 5V, draws power from PC or ter chargers, no AC adapter is required
- 10W 1 rms at 10% THD: 4in. diameter paper cone driver speaker, bass sound
- 3W rms 2 at 10% THD: 3in. diameter paper cone driver speaker
- Material: wood
- Frequency Response: 200-20KHZ
- DC charger: 5v
- Accessories: charge cable, audio cable, manual, remote control

COLOR: Red MODEL: SP1003-RD UPC: 818443010957
 COLOR: Blue MODEL: SP1003-BL UPC: 818443010964
 COLOR: Gold MODEL: SP1003-GL UPC: 818443010971
 COLOR: Silver MODEL: SP1003-SL UPC: 818443010988





SP1004

- Hi-Fi Stereo Speaker with Subwoofer
- FM PLL Radio
- LED screen display, USB, and SD card
- Built-in rechargeable battery 1200 mAh
- Side panel control for volume and bass
- Audio input suitable for OC, MID, TV, iPhone, iPad and other audio device
- Very clear sound and heavy bass for dynamic sound effect
- Input: 5V draws power from PC or other charges, no AC adapter required
- 10W 1rms at 10% THD: 4-in diameter paper cone driver speaker, bass sound
- 3W rms 2 at 10% THD: 3in. diameter paper cone driver speaker
- Virtual surround sound
- Frequency Response: 200-20KHZ
- DC Charger: 5V



COLOR: Red	MODEL: SP1003-RD	UPC: 818443010995
COLOR: Blue	MODEL: SP1003-BL	UPC: 818443011008
COLOR: Gold	MODEL: SP1003-GL	UPC: 818443011015
COLOR: Silver	MODEL: SP1003-SL	UPC: 818443011022



SP1018

- 1.1-CH Passive HIFI Speaker with 4 inch SUBWOOFER
- With LED screen Display.
- With USB and SD card Supporting.
- With FM radio.
- With Line-in function, suitable for PC, MID, TV and other audio device
- Comes with 1.2 meters audio cable.
- Side panel control for volume and bass.
- Built-in lithium rechargeable battery 1000mAh.
- With handle, easy to take out.
- Remote Controller
- Power Supply: 5V
- Frequency Response: 100-20KHZ

COLOR: Blue	MODEL: SP1018-BL
COLOR: Red	MODEL: SP1018-RD
COLOR: Silver	MODEL: SP1018-SL



SPLW11 BOOMBUG Portable Mini Speaker

- 40mm driver to project richer and fuller sounds
- Daisy chain BOOMBUG Speakers for enhanced sound
- Offers Superior bass performance
- Compact and robust design promises easy portability with an outstanding performance
- Rechargeable batteries with playback of up to 10 hours
- 3.5mm audio jack compatible with media players, mobile phones, and laptop.

COLOR: Black	MODEL: SPLW11-1	UPC: 818443010117
COLOR: Silver	MODEL: SPLW11-2	UPC: 818443010124
COLOR: Metallic Red	MODEL: SPLW11-3	UPC: 818443010131
COLOR: Purple	MODEL: SPLW11-5	UPC: 818443010148
COLOR: Neon Pink	MODEL: SPLW11-6	UPC: 818443010155
COLOR: Light Blue	MODEL: SPLW11-7	UPC: 818443010162
COLOR: Yellow	MODEL: SPLW11-8	UPC: 818443010179
COLOR: Light Green	MODEL: SPLW11-10	UPC: 818443010186



ADBT2901 Bluetooth Dongle

- Turn any of your favorite speakers into a wireless sound system
- Bluetooth connectivity to stream stereo audio instantly from any bluetooth audio devices
- Stereo Bluetooth USB dongle supports A2DP, AVRCP & HFP
- Built-in Microphone, with Handsfree function
- About 10 meters working distance
- Bluetooth Version: V2.1
- Simple setup: Just plug, pairing and play
- Compatible with Portable Speakers, Home theater Speaker, Car Mp3 player, Car FM Transmitters...
- In four colors of black, white, beige, pink


COLOR: Black	MODEL: ADBT2901-BK
COLOR: White	MODEL: ADBT2901-WT
COLOR: Beige	MODEL: ADBT2901-BG
COLOR: Pink	MODEL: ADBT2901-PK



BLUETOOTH

SBBT1203 37" Slim Bluetooth 2.1 Sound Bar

- Built-in subwoofer
- USB 2.0 Full Speed
- SD card slot
- Built-In FM PLL radio
- 3.5mm aux jack/RCA L/R Audio
- With unit stand or wal-mountable
- Volume control
- Ample full range sound quality
- Support Bluetooth profiles A2DP wireless stereo and AVRCP wireless remote



- Bluetooth LED indicator
- Operating range up to 10m (measure in open space, walls and structures may affect range)
- Optional: Optical output
- Output Power: 10W x 2 = 30W = 50W at 10% THD
- Full Function Remote Control

UPC: 818443011107

BLUETOOTH



SBBT1205 37" Slim Bluetooth 2.0 Sound Bar with NFC

- Output Power: 15W x2 = 30W @10% THD
- PLL FM Radio
- NFC
- LED Display
- Electronics Up/Down Volume Control
- Support Bluetooth Profiles A2DP Wireless Stereo and AVRCP Wireless Remote
- Bluetooth LED Indicator



- RCA L/R Audio Aux In
- 3.5mm Aux In Jack
- Full Function Remote Control
- External AC/DC Power Adapter
- With Unit Stand or Wall Mount

BLUETOOTH



STBT1204 Bluetooth Tower Speaker

- Output Power: 9W x 2 + 28W = 46W at 10% THD
- Built-in subwoofer
- Digital volume control
- Treble, bass, mute
- PLL FM radio with 20 preset stations
- LCD display
- Video Output
- Aux in jack
- Support Bluetooth profiles A2DP wireless stereo and AVRCP wireless remote
- Operating range up to 10m (measured in open space, walls and structures may affect range)
- Bluetooth LED indicator
- 3.5mm aux jack
- Accessories: remote control

UPC: 818443011114

BLUETOOTH



SPBT1030 Portable Bluetooth Music Station with PLL FM Radio/USB Jack

- Output Power: 3W x 2 @ 10% THD
- Electronics Up/Down Volume Control
- Support Bluetooth profile A2DP and AVRCP
- Bluetooth operating range up to 10 meters (Measured in open space. Walls and structures may affect range)
- 3.5mm Aux in jack
- USB 2.0 Full Speed for MP3 Music Playback
- PLL FM Radio
- Micro USB charging port (For built-in battery charging only)
- Built-in rechargeable Battery



BLUETOOTH



SPBT1031 Cylinder Bluetooth Speaker with 3" Subwoofer and 2" Horn

- 2.1 outdoor Passive HIFI Bluetooth Speaker with 3 inch subwoofer and 2 inch horn;
- Output very clear sound and heavy bass, dynamic sound effect;
- With A2DP Bluetooth, wireless stream music from any Bluetooth-enabled device such as your mobile phone, notebook, iPhone or iPad
- Secure simple pairing for user-friendly operating
- With USB and SD card supporting;
- With Line-in function, suitable for PC, MID, TV and other audio device.
- Side panel control for volume and bass;
- Built-in lithium rechargeable battery 1000mAh
- With handle & strap, easy to take out.
- Frequency Response: 100-20Khz

BLUETOOTH



SPBT1032 Outdoor Passive HIFI Bluetooth 2.1 Speaker with 5.25" Subwoofer and 3" Horn

- Output very clear sound and heavy bass, dynamic sound effect;
- With A2DP Bluetooth, wireless stream music from any Bluetooth-enabled device
- Secure simple pairing for user-friendly operating
- With USB and SD card supporting;
- With FM radio and EQ function
- With LED display, can show the digital number & working status
- With Line-in function, suitable for PC, MID, TV and other audio device.
- Two gears volume control for volume and bass;
- Built-in lithium rechargeable battery 1000mAh
- With handle & strap, easy to take out.
- Frequency Response: 100-20Khz
- Power supply: DC5V



BLUETOOTH



BLUETOOTH SPEAKERS

SPBT1021 Portable USB FM PLL Radio

- USB port and SD/MMC card slot for MP3/WMA Playback
- FM DIGITAL radio (WITH 30 PRESET STATIONS)
- LCD DISPLAY WITH BLUE BACKLIGHT
- Bluetooth speaker (optional)
- With telescopic Pull Handle
- 3.5MM Aux-in jack
- Output power(rms): 2W
- Speaker: 3" x 1"
- Built-in rechargeable battery (3.7V 1000mAh)
- Battery charging source: 5V DC (3.5mm DC jack)
- AC charger included
- Max Play time: 4 hours
- Charging time: 3.5 hours
- Color available: Black, White/Blue, White/Green, White/Purple, White/Silver



SPRBT1201 Portable Bluetooth Speaker

- Charges through Solar & AC Adapter
- Bluetooth
- Charge Time: 10 Hours (Solar), 5 Hours (USB Cable)
- Battery Working Time: 10 Hours
- Bluetooth Effective Distance: ≥10m
- Audio Output Power: 3W
- Ambient Condition: -10°C - 60°C
- Other Special Features: IP44 Anti-UV
- Available in 5 Colors: Brown, Yellow, Blue, Green, Purple



SPBT1022 Portable Bluetooth Speaker

- Support music playing & hands free communication (mobile) via Bluetooth 2.0
- Aux In: 3.5mm
- Work as the external speaker by connecting to the audio source of computer, mobile, PSP/MP3/MP4 etc.
- FM Radio (Option): Support auto scan and save the FM channels
- Impedance: 4Ω
- Output: 2W
- Voltage: DC 5V
- Available in Solid Black, or Black with Gold Accents




BLUETOOTH SPEAKERS

SPLBT12 BOOMBUG

Portable Mini Speaker with Bluetooth

- 40mm driver to project richer and fuller sounds
- Daisy chain BOOMBUG Speakers for enhanced sound
- Offers Superior bass performance
- Compact and robust design promises easy portability with an outstanding performance
- Rechargeable batteries with playback of up to 10 hours
- 3.5mm audio jack compatible with media players, mobile phones, and laptop.
- Bluetooth enabled so you can enjoy your music without wires



COLOR: Black	MODEL: SPLBT12-1	UPC: 818443010117
COLOR: Silver	MODEL: SPLBT12-2	UPC: 818443010124
COLOR: Metallic Red	MODEL: SPLBT12-3	UPC: 818443010131
COLOR: Purple	MODEL: SPLBT12-5	UPC: 818443010148
COLOR: Neon Pink	MODEL: SPLBT12-6	UPC: 818443010155
COLOR: Light Blue	MODEL: SPLBT12-7	UPC: 818443010162
COLOR: Yellow	MODEL: SPLBT12-8	UPC: 818443010179
COLOR: Light Green	MODEL: SPLBT12-10	UPC: 818443010186

SPBT1023 Bluetooth Speaker

- Bluetooth 4.0
- NFC (Near Field Communication)
- Support Micro SD Card Music Playing (Optional Function)
- Aux In
- One Cable Function
- Voice reminder
- With Touch Panel Button
- Li-ion battery: 900mAh
- Output: 3W
- Aux In: 3.5mm



SPBT1025 "BALLi"

Bluetooth Stereo Speaker

- Bluetooth 3.0 + EDR Wireless
- Portable Speaker 2W + 2W Amplified
- Carry-&-Go Portable Design
- Rechargeable
- Built-In Li-Polymer Battery Powered





SPBT1027 Water-Resistant Bluetooth Speaker

- Bluetooth 3.0
- Stable & Easy Connection (Max. 10m Radius). Enjoy Hand Free Talk. Low Energy Consume
- Power Bank – Good Quality Battery. Charge Safely with Protection Circuit. Capacity: 2300 mAh. Lifetime >500 Times
- Waterproof – Grade IPx 6. Take it to Shower Room, Beach, Swimming Pool.
- Charging Jack & Cable. Power In: Micro USB 5V 1A. Power Out: USB 5V 1A
- Driver Unit: 2" x 2
- RMS: 3W x 2
- Stereo Sound Performance
- Charging Time: 8 Hours by Pure USB, 3-5 Hours by Adaptor
- Music Running Time: >8 Hours



SPBT1020 Water-Resistant Bluetooth Speaker

- Bluetooth shower radio
- With micphone function (during fm radio and Bluetooth status).you can get calling directly.
- 3w high quality speaker
- 3.0+EDR Bluetooth chip Bluetooth version backward compatible with V2.0, V1.2 and V1.1 standards support the A2DP, ACRCP EDR
- Applicable models suitable for all Bluetooth enabled mobile phone (Note: the various machine models compatibility!),with FM radio
- Distance 10 m
- Battery capacity: 500 mah
- Frequency 2402MHz ~ 2480MHz ISM Band
- About 3 hours of working time
- About 40 to 50 hours of standby time
- 3 hours charging time
- Data transmission rate of 2.1Mbps
- Ipx 4 splash proof



EP108

- Ergonomic sound-isolating technology
- Multiple size ear tips for comfortable fit
- Compatible iPad, iPhone, and other audio devices with a 3.5mm audio jack
- Speaker: 10mm 6u
- Frequency Range: 20Hz - 20KHz
- Impedance: 28 +5
- Sensitivity: 105dB+5dB
- Max Power: 10mW

COLOR: Red	MODEL: EP108-RD	UPC: 818443010612
COLOR: Yellow	MODEL: EP108-YL	UPC: 818443010629
COLOR: Pink	MODEL: EP108-PK	UPC: 818443010636
COLOR: White	MODEL: EP108-WT	UPC: 818443010643
COLOR: Light Blue	MODEL: EP108-LB	UPC: 818443010650



EPM110

- Microphone
- Speaker: Φ10mm Dynamic type
- Sensitivity: 105dB +/-3dB (at1 Hz)
- Frequency Response: 20Hz-20,000Hz
- Max Input Power: 100mW
- Cable Length: 1.2m+/-0.3m
- Plug Type: Φ3.5mmStereo
- Flat Cable



EPBT100

- Multi-points connection with Microphone
- Multi-languages (ZH/EN/ES/FR/DE) voice prompt (Customized language available)
- Support A2DP/AVRCP
- Power prompt on iPhone
- Bluetooth V3.0
- Talking time: Up to 7 hours
- Standby time: Up to 300 hours
- Working range: Up to 10m



EP115

- Flat Cable
- Speaker: Φ10MM
- Frequency range: 20Hz-20KHz
- Impedance: 24Ω±5Ω
- Sensitivity: 100dB±5dB
- Max power input: 10mW
- Available in Aqua, Red, Pink and Black
- Length:1.1M



EPM109-WT

- Inline Mic: 58 dB + 5 dB
- Compatible with any device having a 3.5 mm audio jack
- Outstanding sound performance
- Comfortable & sturdy design
- Speaker: 10 mm 6u
- Frequency Range: 20 HZ-20KHZ
- Impedance: 28Ω +5
- Sensitivity: 105 dB + 5 dB
- Max Power: 10 mW

UPC: 818443010667






EPM111

- Microphone
- Speaker: $\Phi 10\text{mm}$ Dynamic type
- Sensitivity: 105dB $\pm 3\text{dB}$ (at 1 Hz)
- Frequency Response: 20Hz-20,000Hz
- Max Input Power: 100mW
- Cable Length: 1.2m $\pm 0.3\text{m}$
- Plug Type: $\Phi 3.5\text{mm}$ Stereo
- Flat Cable

MIC



EPM113

- Microphone: $-58\pm 5\text{Db}$
- Flat Cable length: 1.2M
- Speaker: $\Phi 10\text{MM}$
- Frequency range: 20Hz-20KHz
- Impedance: $24\Omega \pm 5\Omega$
- Sensitivity: 100dB $\pm 5\text{dB}$
- Max power input: 10mW

MIC



EPMV106

- With in-line Microphone
- Comfort fit earbud
- Compatible with: iPOD, iPHONE, iPAD
- Speaker Size: 13.5 mm
- Sensitivity: 107 dB ± 3 dB (at 1KHz, 0.5 Vrms)
- Impedance: 32 Ω
- Frequency Response: 20-20,000 HZ

MIC

- Plus: 3.5 mm
- Mic Sensitivity: 44 dB ± 3 dB
- Mic Frequency Range: 50-16,000 HzB

UPC: 818443010377



EPM112

- Microphone
- Speaker: $\Phi 10\text{mm}$ Dynamic type
- Sensitivity: 105dB $\pm 3\text{dB}$ (at 1 Hz)
- Frequency Response: 20Hz-20,000Hz
- Max Input Power: 100mW
- Cable Length: 1.2m $\pm 0.3\text{m}$
- Plug Type: $\Phi 3.5\text{mm}$ Stereo
- Flat Cable

MIC



EPM114

- Microphone: $-58\pm 5\text{Db}$
- Flat Cable length: 1.2M
- Speaker: $\Phi 10\text{MM}$
- Frequency range: 20Hz-20KHz
- Impedance: $24\Omega \pm 5\Omega$
- Sensitivity: 100dB $\pm 5\text{dB}$
- Max power input: 10mW
- Blue and Red Combination

MIC



HPV609-BK

- Lightweight materials to create a comfortable and easy to wear headphones
- Collapsible headphones for easy storage and mobility
- Large soft ear pads for comfort and no sound leak
- Driver Size: 40mm
- Frequency Range: 14Hz-20,000Hz
- Sensitivity: 115 dB (at 1KHz 1mw)
- Impedance: 32 hm
- Cord Length (approx.): 2.3m
- Cord: Single-sided
- Jack: 3.5mm, nickle-plated
- 3.5mm to 6.3mm adapter included
- With volume control

UPC: 818443010568



VOLUME CONTROL



HP611-SL

- Folding design with universal joint
- Large diameter speaker 50mm
- Soft touch housing
- Stereo/Mono selector
- Type: Closed dynamic stereo headphones
- Impedance: 40
- Sensitivity: 110dB/mW
- Frequency response: 20 to 20,000Hz
- Maximum input power: 100mW
- Cord: 4ft-long single coiled cable (About 10ft when straightened up)
- Accessories: Carrying bag, 3.5mm to 6.3mm adapter included
- Weight: 9.5oz (without cord)

UPC: 818443010674



POUCH



HPBT604-BK

- Built-in Microphone
- Crystal clear sound quality
- Auto music pause & play back
- Compatible with all Bluetooth enabled devices
- Easy-access controls
- Smart swivel design
- Long battery life
- Bluetooth version V2.1 +EDR
- Chipset: CSR
- Supported bluetooth profiles: HSP, HFP, A2DP, AVRCP
- Audio mode: Stereo

- Operation range: 10m
- Talking time: 15 hours
- Music playing time: 6-8 hours
- Standby time: 180 hours
- Charging time: 2-3 hours
- Dimensions: 19.4cm x 16.5cm x 7cm (unfolded)

UPC: 818443010452



HPBT612

- ISSC 3.0+EDR Bluetooth Headset Microphone
- Quiescent current: 10µA
- Operating current: 30mA
- Operating voltage: 4.2V
- Charging current: 30mA -150Ma (LED red light indicates)
- Battery capacity 330mAh 3.7V
- Charging time: 3H (fully charge)
- Working time: 8 hours
- Standby time :30 hours
- Product Size: 18.3X8.2X18.3MM
- Packaging: COLOURBOX
- Power: DC 5V,200Ma



HPBT613

- Bluetooth headset with FM radio, SD Card Slot and Microphone
- Stereo Bluetooth 3.0
- Frequency Response: 150Hz-20KHz
- Output: 32ohms 40mm neodymium 4Ω-0.5W Hi-Fi speakers
- Power supply: USB & lithium battery (included)
- Rechargeable 250MA / 3.7V lithium battery constantly working for 8 hours
- TF Card slot to support 512MB/1GB/2GB/4GB/ 8GB/16GB/32GB TF
- Built-in high quality MP3 decoding & FM ST. radio (87.5-108.00MHz)
- Program includes: USB Cable, Manual
- Product Size: 20.5X14.7X2.1CM
- Packaging: COLOURBOX
- Power Supply: USB and lithium battery(included)
- Approval: CE, Rohs,BQB



HPBT614

- Bluetooth Headset with Microphone
- ISSC 3.0+EDR Bluetooth Headset Microphone
- Quiescent current: 10µA
- Operating current: 30mA
- Operating voltage: 4.2V
- Charging current: 30mA -150Ma (LED red light indicates)
- Battery capacity 330mAh 3.7V
- Charging time: 3H (fully charge)
- Working hours: 8 hours
- Standby time :30H
- Product Size: 18.3X8.2X18.3mm
- Packaging: COLOURBOX
- Power: DC 5V,200ma



HPMV607-SL

- Volume Control
- Comfortable & sturdy design
- Outstanding sound performance
- Compatible with any PC having a 3.5mm audio and mic jacks
- Impedance: 32 ohms 2.2k ohms
- Sensitivity: 100dB -38dB+/5dB
- Frequency range: 20-20kHz, 30-15,000Hz
- Maximum input power: 100mW

UPC: 818443010544



HPMV608-BK

- Volume Control
- Cord: Single-sided
- Lightweight materials to create comfortable and easy to wear headphones
- Collapsible headphones for easy storage and mobility
- Large soft ear pads for comfort and no sound leak.
- Driver Units: 40mm
- Frequency Range: 14Hz-20,000Hz
- Sensitivity: 115 dB (at 1KHz 1mw)
- impedance: 32 hm
- Cord Length (approx.): 2.3m
- Cord: Single-sided
- Jack: 3.5mm, nickle-plated



UPC: 818443010551


900 MHz



HPW603-BK

- Double PLL and MCU System
- Active Noise Reduction Technology
- Auto Tuning for Headphone
- Wireless, so no more mess with cables
- System: UHF/RF
- Carrier frequency: 914-915 MHz
- Modulation: FM
- Mode: Stereo
- Transmission power: <10mW
- Operating distance: 250 ft. (open space)
- S/N ratio: >75dB
- Channel separation: >35dB
- Distortion: <1%
- Frequency response: 30-20,000 Hz
- Transmitter power supply: DC 12V 150mA
- Transmitter input voltage: 100-240V
- Headphone power supply: 2 x AAA battery

UPC: 818443010445



EXTENDED RANGE!

HPW605-BK

- Wireless Headphone
- Wireless Net Chat
- Wireless Monitoring
- FM Radio
- Wired Headphone


Transmitter (Base unit):

- Frequency: 86 +/- 0.5MHz
- Modulation mode: FM
- Power Supply: 2xAAA batteries or DC 4.5V adaptor
- Emission Distance: 30m (without interference)

Receiver (Head phone):

- Frequency Range: 84~108MHz
- Reception Mode: FM
- Distortion: less than 2%
- Power Supply: 2xAAA batteries

UPC: 818443010469



INFRARED!

PP3122

- Cell type: Li-ion Polymer Battery
- Capacity: 3000mAh@3.7V
- Input: USB cable 5V/1.5A
- Dual Output: 5V/1.5A shared by USB Port and Micro-USB Cable
- Size: 74mm*74mm*19mm
- Cycle life: ≥500 times
- Charging Time: 3 hours



PP3123

- Cell type: Li-ion Battery
- Capacity: 5200mAh@3.7V
- Input: USB cable 5V/1.5A
- Dual Output: 5V/2.1A shared by Micro-USB cable and USB port
- Size: 104mm*55mm*25mm
- Cycle life: ≥1000 times
- Charging Time: 4.5 hours



PP3114

- Capacity: 5000mAh
- Input: DC 5V/1A
- Output: DC 5V/1A
- Built-in Li-polymer Batteries
- Cycle life: ≥1000 times
- Accessories: USB to Micro USB Cable x 1
- Charging Time: 3.5 Hours





PP3121

- Capacity: 5600mAh
- Output: Micro USB 5V / 1A
- Input: USB 5V / 1A
- Size: 97.5mm (L) x 60.9mm (W) x 25mm (T)
- Life Cycle: 500 Times
- Charging Time: 4 Hours



PP3124

- Cell type: Li-ion Polymer Battery
- Capacity: 6000mAh@3.7V
- Input: USB cable 5V/1.5A
- Dual Output: 5V/2.1A shared by USB Port and Micro-USB Cable
- Size: 103mm*57mm*25mm
- Cycle life: ≥500 times
- Charging Time: 5 hours



PP3116

- Smart design
- Li-polymer battery: 2200mAh
- USB Charge input: 5V-1A
- USB power output: 5V/1000mA)
- Battery full charge time: 3 hours
- Work time after full charge: 2-3 hours around
- Battery life: >500 charge-discharge circle



PP3103

- Nice Design, Small Size, Torch, Good price
- Capacity: 2200mAh
- Recharging Time: 2hrs
- Charging Time (iPhone 4S): 1.5hrs
- Extra Talktime of iPhone 5S: 5hrs
- Extra Power of iPhone 4S: 127%
- Input Port: Micro USB
- Output Port: USB*1
- Input Voltage: DC 5V 1A
- Output Voltage: DC 5V 1A



PP3125

- Capacity: 2600mah, Li-ion 18650 battery cell
- Materials: metal case
- Processing technology: frosting + Laser engraving
- Lifetime: over 1000 times
- Input: 5V, 800mA
- Output: DC 5V, 1A
- Colourful, fashionable, and easy carrying
- Available Color: white, black, blue, green, yellow, gold



PP3126

- Capacity: 2600mah Li-ion 18650 battery
- Materials: Hard ABS
- Processing technology: Matt+ Galvanic plating
- Lifetime: over 500 times
- Input: 5V, 800mA
- Output: Output: DC 5V, 1A
- LED emergency torch
- Available Color: white, black, blue, green, yellow



PP3117


- Capacity: 2,800 mAh
- Cell: 18650 Li-ion battery
- Input: DC 5V 0.5A
- Output: DC 5V 1A
- Size: 96*27.6*21.65mm
- Cycle life: 500times
- Colors: Optional





PP3109

- Capacity: 3000mAh
- Input: DC 5V-1000mA(MAX)
- Output: DC 5V-1000mA(MAX)
- Built-in Li-polymer Battery
- Life Cycle: 500 Times
- Accessories: USB to Micro USB Cable x 1
- Variety of Color Trims



PP3105

- Fast charging of real 5V 1A / 5V 2A OUTPUT
- Charging Docking Station
- Input: DC 5.0V/1A
- Output: DC 5.0V/1A and DC 5.0V/2A
- ROHS, CE, FCC, MSDS
- Life Cycle: 500 Times
- Variety of Colors



PP3110

- Capacity: 5000mAh
- Input: DC 5V-1000mA(MAX)
- Output: DC 5V-1000mA(MAX)
- Built-in Li-polymer Battery
- Accessories: USB to Micro USB Cable x 1
- Colors: Black; White
- 4 pcs LED lights indicates remaining power + Torch light."
- Certification: CE; RoHS



PP3111

- Capacity: 5000mAh
- Input: DC 5V-1000mA(MAX)
- Output: DC 5V-1000mA(MAX)
- Built-in Li-polymer Battery
- Accessories: USB to Micro USB Cable x 1
- Stainless Steel Housing
- Custom Patterns available
- Colors: Silver, Gold
- 4 pcs LED lights indicates remaining power + Torch light
- Certification: CE; RoHS



PP3118

- Capacity: 5,200 mAh
- Input: DC 5V 1A
- Output: DC 5V 1A & Dual torch (or one LED for Torch, another LED for Bill checking function)
- Size: 102mm x 42 mm x 22 mm
- Cycle life: 500times
- Colors: Optional



PP3102

- Capacity: 5200mah Li-lion battery
- Materials: Non-flammable ABS+PCB
- Processing technology: UV painting
- Lifetime: over 1000 times
- Input: 5V, 1A
- Output: DC 5V-5.5V, 1A
- Accessory: One Micro USB cable+Iphone 4/4s connector
- LED emergency torch
- Available Color: white, pink, blue, green, black, red, yellow



PP3104

- LCD
- perfect appearance
- high capacity
- digital display the charge time and discharge time
- Dual USB
- Capacity 7800mAh
- Recharging time of power bank 19hrs
- Input port: Micro USB
- Output port: USB*2
- Input voltage/current: DC 5V 1A
- Output voltage/current: DC 5V 1A/2.1A



PP3113

- Capacity: 10000mAh
- Input: DC 5V/1A
- Dual Output: DC 5V/1A
- Built-in Li-polymer Batteries
- Accessories: USB to Micro USB Cable x 1
- Colors: White, Pink, Green, Yellow
- Case Material: PC + ABS
- 4 pcs LED lights indicates remaining power
- Certification: CE; RoHS





PP3119

- Capacity: 10,000 mAh
- Input: DC 5V 1A
- Output: DC 5V 2.1A/1A(Dual USB)
- Size: 134mm x 62mm x 22 mm
- Cycle life: 500times
- Colors: Optional



PP3101

- Capacity: 10000mah Li-ion 18650 battery
- Materials: Hard ABS
- Processing technology: UV+ Galvanic plating
- Lifetime: over 1000 times
- Input: 5V, 800mA
- Output: DC 5V, 1000mA&2100mA
- Super bright Emergency LED torch
- LCD monitor display power status from 0 to 100%
- Available Color: white,black, Blue, pink,green



MPWL1503-BK

- Professional Wireless Headset Microphone
- Up to 150 FT. working range
- Carrier Frequency: VHF110-120MHz
- Frequency Response: 50Hz-15kHz ± 3 dB
- Audio Output: Freestanding 0 - ± 400 mV
- Receiver Power Supply and Voltage: DC 3V
- Receiver Power Consumption: 4W
- Receiver Sensitivity: 35dBu
- Transmit Power: 8mW
- Modulation Mode: FM
- Power Supply and Voltage: 3V DC 6.3mm to 3.5mm Adapter

UPC: 818443010506



MPWL1507-BK

- Carrier Frequency: 110-120 MHz
- RF Sensitivity: 20dB/uV
- S/N Ratio: 50dB
- Frequency Response: 100Hz-14Khz
- Audio Output Level: 100mV
- Transmitter Output Power: 10mW
- Modulation Mode: FM
- Maximum Deviation: 30khz
- Receiver Battery: 1.5V DC
- Transmitter Battery Type: 9V DC
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443011947



PP3115

- Capacity: 12000mAh
- Input: DC 5V/1A
- Dual Output: DC 5V/1A; 5V/2.1A
- Built-in Li-polymer Batteries
- Accessories: USB to Micro USB Cable x 1
- Colors: White, Black
- 4 pcs LED lights indicats remaining power
- Certification: CE; RoHS



PP3120

- Capacity: 16,000 mAh
- Input: DC 5V 1A
- Output: DC 5V 1A/2.1A(Dual USB)
- Size: 160 x 78 x 23mm
- Cycle life: 500 times
- Colors: Optional



MPWL1501-SL

- Wireless or wired microphone
- Professional stage microphone
- Up to 90 FT. working range
- Frequency range: 110 MHz-120MHz
- Modulate mode: FM
- Sensitivity: -36 \pm 3dB
- Dynamic range: \geq 80dB
- Frequency response: 50Hz-15kHz \pm 3kHz
- Working range: up to 90 FT.
- Receiver Power Supply and Voltage: DC 1.5V
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010483



MPWL1502-SL

- Wireless or wired microphone
- Professional DJ microphone
- Up to 150 FT. working range
- Frequency range: 110 MHz-120MHz
- Modulate mode: FM
- Sensitivity: -36 \pm 3dB
- Dynamic range: \geq 80dB
- Frequency response: 50Hz-15kHz \pm 3kHz
- Working range: up to 150 FT.
- Receiver Power Supply and Voltage: DC 3V
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010490



MP1506-SL

- Professional Wired Microphone
- Model Type: Dynamic Microphone
- Polar Pattern: Uni-directional
- Frequency Response: 80Hz – 11kHz
- Sensitivity: -72dB \pm 3dB (@ 1kHz)
- Impedance: 620 Ω \pm 30% (@ 1kHz)
- Construction: Sponge Ref-Shake Type
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010537



MPWL1504-BK

- Dual Wireless High Quality Professional Microphones
- Up to 150 FT. working range
- Carrier Frequency: 180-270MHz
- Frequency Stability: \pm 0.008%
- Dynamic Range: $>$ 80dB
- Total Harmonic Distortion: $<$ 0.5%
- Frequency Response: 60-12KHz \pm 3dB
- Receiving Sensitivity: 50uS (SINAD=20dB)
- S/N Ratio: $>$ 80dB
- Border Upon Channel Rejection: $>$ 75dB
- Image Disturbance Rate: $>$ 75dB
- Audio Frequency Output: 0 - \pm 300mV
- Emission Power: 30mW
- Receive Channel: 2 channel
- Receiver Power Supply: AC 110V/45-60Hz
- Function Validate Distance: Up to 150 FT.
- Battery Requirement: 9VDC
- 6.3mm TO 3.5mm Adapter Plug

UPC: 818443010513

EXTENDED RANGE!



MPWL1505-BK

- Dual Professional Wireless Microphones
- Up to 100 FT. working range
- Carrier Frequency: 110-120MHz
- Frequency Stability: \pm 0.005%
- Dynamic Range: $>$ 80dB
- Total Harmonic Distortion: $<$ 0.5%
- Frequency Response: 20-16KHz \pm 3dB
- Receiving Sensitivity: 50uS (SINAD=20dB)
- S/N Ratio: $>$ 85dB
- Border Upon Channel Rejection: $>$ 80dB
- Image Disturbance Rate: $>$ 80dB
- Audio Frequency Output: 0 - \pm 300mV
- Emission Power: 30mW
- Receive Channel: 2 channel
- Receiver Power Supply: AC 110V/45-60Hz
- Function Validate Distance: up to 100 FT.
- Battery Requirement: 9VDC
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010520





Multi-Room Wi-Fi Speaker Series

Features

- Enabling wireless multi-room and multi-channel solutions.
- WiFi: 802.11b/g/n. 2T/2R providing good Wi-Fi coverage and robust wireless connection.
- Low latency. Audio lag between speakers is well below 1ms.
- Support AP (access point) mode, No WiFi access point required while operations (multi-room applications).
- Customized DLNA apps for both Android and iOS devices.
- Easy grouping/configuration operation.
- Support Virtual Drive (CLOUD applications), Drop Box, Google Drive, etc.
- On-board antenna and reserved connectors for external antenna option.
- DLNA 1.5 Compatible
- Spotify Compatible (available on Q2/2014)

Customized Apps (Android/ iOS)

- Easy set-up, Grouping & Control
- Wirelessly control every player in your house from a Mac, PC, Smartphone or tablet.
- Single room – one player
- One room, one player. It's as simple as that. Connect your first device to a router and play all of your music.
- Multi-room – many players
- Add players to as many rooms as you want. All linked wirelessly, all controlled from your Smartphone or tablet.
- Same song, Every room
- Play one son throughout your entire home in perfect synchronization.
- Different song, Every room
- Control your music to play a different song in every room.



PABTWL1201

Karaoke Machine & PA System

- Smart phone KTV Speaker
- Wireless Bluetooth connection
- Rechargeable battery
- Double wireless microphones
- Size: 211 x 11w 11h
- Power Output: 16w
- Play Time: 8hrs
- Touch on/off
- Volume control for music
- Volume control for microphone
- Echo control for microphone
- Microphone input jack
- Battery status indicator
- Carry Case (Optional)
- Line in



BLUETOOTH



FC ♻️



KARAOKE



2 MODELS

SD CARD USB FC ♻️

PA1026 & PA1027

Karaoke Machine & PA System

- Small model PA Karaoke
- 1.1 outdoor Passive HIFI Karaoke Speaker with 6 inch subwoofer; and 2 inch horn;
- Output very clear sound and heavy bass, dynamic sound effect;
- With USB, micro SD card and FM radio supporting;
- 2 Microphone input
- With big LED display, can show the digital number& working status
- Knob control for volume, karaoke and Echo
- LED decoration light
- With number keypad to choose the desired FM channel and song more convenient
- With Line-in function, suitable for PC, MID, TV and other audio device.
- Built-in lithium rechargeable battery 1800mAh
- With handle & strap, easy to take out.
- Frequency Response: 100-20Khz
- Power supply: DC3.7V (PA1026), DC7.4V (PA1027)

PA1202

Karaoke Machine & PA System

- Rated Power: 10W
- Peak Power: 20W
- Speaker Unit: Bass(4"x1)+Tweeter(1"x1)
- Accumulator Battery: 12V2.6A
- Dimension: 210mm x 140mm x 245 mm
- USB/SD/AUX Input
- LED display
- VOICE PROMPT
- With Recording function
- Independent Bass & Tweeter

SD CARD USB ♻️

KARAOKE



CK1201 Table Lamp with Clock



- Ball shape desktop lamp with clock
- Touch ring for white light brightness adjust and light color selection of colorful light
- White light and colorful light available
- Big digit clock and alarm time on same screen display
- Nature sound alarm and Bibi alarm available
- LCD backlight color same as the lamp color
- Big logo space on the display
- White LED max. power: 3.5W (12pcs)
- Colorful LED: 6pcs
- Power: DC adapter 5V/1A (included) for LED light, 1 x CR2032 battery for clock display (included)



SPCK1201

- Inductive speaker
- FM radio with frequency display
- Current time and alarm time on the same screen display
- Dual alarm (nature sound and FM radio for option)
- LCD with blue or colorful back light
- Temperature display
- AUX-in function, suitable for mobile, MP3, notebook, etc.
- Power supply: 4 x AA battery or DC5V/1000mA adaptor

PR3201

- Frequency: AM: 530-1600KHZ, FM: 76-108MHZ
- Sensitivity: AM $\leq 5\text{mV/m}$, FM $\leq 20\text{UV}$
- AM S/N: $\geq 34\text{DB}$
- Speaker: diameter 57mm/ 4ohm/0.25w
- Power: DC 3v, 2*AA 1.5V battery
- Output power: $\geq 100\text{mW}$
- Size: 133*72*33mm



PR3202

- Frequency: FM:88-108MHz, AM: 530-1600KHz
- SW1-2: 7.0-22.5MHz
- Impedance: 4ohms
- Speaker: 2.5 inch/8ohm/1W
- Power: DC3V, UM-1*2




ANT1903

- Frequency range: VHF:87.5-230mhZ uhf:470-862mhZ
- Receiving Range: VHF/UHF
- Gain: 30db(max)
- Output Level: 100dB μ V Max
- Impedance: 75 Ω
- Noise Figure: $\leq 3\text{dB}$
- Power Supply: Via AC/DC adapter (DC12V/50mA)

ANT1908

- Receive range: UHF/VHF/FM
- Frequency VHF: 40-230MHZ
- Frequency UHF: 470-860MHZ
- VHF gain: 25dB
- UHF gain: 30dB
- Gain control: Gain control
- Rotating: 150°
- Input voltage: AC110~120V



ANT1905

- Frequency range VHF87.5-230mhZ UHF470-862mhZ
- Receiving Range VHFUHF
- Gain 30db(max)
- Output Level 100dB μ V Max
- Impedance 75 Ω
- Noise Figure $\leq 3\text{dB}$
- Power Supply Via ACDC adapter (DC12V50mA)

ANT1904

- Frequency range: VHF:87.5-230mhZ uhf:470-862mhZ
- Receiving Range: VHF/UHF
- Gain: 30db(max)
- Output Level: 100dB μ V Max
- Impedance: 75 Ω
- Noise Figure: $\leq 3\text{dB}$
- Power Supply: Via AC/DC adapter (DC12V/50mA)

