



WHERE TECHNOLOGY & CREATIVITY MEET





- b639 Valjean Ave., van Nuys, California 914ub, USA ● Ioli Free: 888-232-4145 ● www.axessusa.com ● www.boombugs.com ● email: Info@axessusa.com ■ AXESS is a registered trademark of Axess Products Corp. All rights for use of the trademark is reserved and protected by law. All other trademarks and logo are property of their respective owners unless indicated otherwise. No logos, pictures and/or portion of this packaging can be redistributed or copied without prior consent of Axess Products Corp. Designs, features, specifications, and availability are subject to change without prior notice. © 2014 Axess Products Corporation. All rights reserved.

PRODUCT CATALOG

# NISSION STATEMENT AND ABOUTUS

# TABLE OF CONTENTS

Axess Products Corporation is the vision culminating over 70 years combined experience in the consumer electronics and computer peripherals industry. Our mission is to provide consumers with products which are far more advanced than what is on the market, with the latest and most unique designs, innovations, quality and value to meet and exceed the consumer's expectations.

Our research and development team is constantly in search of innovative and useful products to add to our expanding regular and premium lines. We are constantly at the forefront of the latest technological innovations. Our sales, support and logistics staff are committed to providing our customers and consumers with the best service and support.

We have gateways through our distribution channels to North, Central and South America as well as Canada.

If you are interested in our channel distribution please contact our sales department at sales@axessusa.com or 888-232-4145.




► LED TV	3
► PORTABLE TV	7
► LED TV/DVD	8
► BLUETOOTH SOUND BARS	11
► BLUETOOTH SPEAKERS	13
► PORTABLE SPEAKERS	16
► WI-FI SPEAKERS	17
► MINI ENTERTAINMENT SYSTEM	19
► ACTION CAM	20
► PORTABLE BOOM BOX	21
<b>TABLETS</b>	25
► ALARM CLOCKS & RADIOS	27
► POWER BANKS	28
► MICROPHONES	33
► EARBUDS & HEADPHONES	36
CONTACT US	38

#### TV1701-13 13.3" Widescreen HD LED TV

- Max Resolution: 1366 X 768
- Contrast Ratio: 500:1
- Brightness: 200 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS** Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12-24V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: ≤1W

UPC: 818443010766











#### TV1701-19 19" Widescreen HD LED TV

Max Resolution: 1366 x 768

Contrast Ratio: 800:1

- Brightness: 250 cd/m2
- Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner
- 12V Car Cord Technology
- Built in USB Input Slot, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS Input**
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤32W
- Power Consumption in Stand by: ≤1W

UPC: 818443010698

#### TV1701-15 15.6" Widescreen HD LED TV

■ Max Resolution: 1366 x 768

Contrast Ratio: 800:1 Brightness: 330 cd/m2

Aspect Ratio: 16:9

Built in Digital and Analog Television Tuner

- 12V Car Cord Technology
- Built in USB Input Slot, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: ≤1W

UPC: 818443010681

3

















### TV1701-22 22" Widescreen HD LED TV

Max Resolution: 1920 X 1080

Contrast Ratio: 1000:1

Brightness: 250 cd/m2

Aspect Ratio: 16:9

Built in Digital and Analog Television Tuner

- 12V Car Cord Technology
- Built in USB Input Slot, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS Input**
- Full Function Remote Control
- Wall Mountable Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤42W
- Power Consumption in Stand by: ≤1W

#### TV1701-24 24" Widescreen HD LED TV

- Max. Resolution: 1920×1080, Display Colors: 16.7 M
- Contrast Ratio: 1000:1, Aspect Ratio: 16:9
- Built-in Digital and Analog Television Tuner
- 3D Comb Filter, 3D De-interlace
- Noise Reduction, Nicam/A2, EPG Function
- Closed Caption Support
- Built-in USB Input Slot, HDMI Input
- Multi-language On-Screen Display: English / French / Spanish (Optional)
- Program Control (Lock), Easy setting for TV and Country
- Full-Function Remote Control, Built-In Speakers
- Input Terminal: Cable/Antenna Jack (RF Input), CVBS and AUDIO L/R, Component (YPbPr), HDMI, VGA (Computer Monitor), PC Audio Jack, USB
- Output Terminal: Earphone Jack, Coaxial Output Jack
- Heavy Duty 12V AC/DC Protection
- Power Supply: DC12V / AC100-240V / 50/60Hz
- Power Consumption in Operation: <36W</p>
- Power Consumption in Stand-By: <0.5W</li>

UPC: 818443010773















#### TV1701-32 32" Widescreen HD LED TV

■ Max Resolution: 1366×768 Contrast Ratio: 3000:1

■ Brightness: 250 cd/m2

Aspect Ratio: 16:9

Built-In Digital & Analog Television Tuner

- Built-In Speakers & Noise Reduction
- Built-In USB Input Slot, HDMI Input (x3)
- Input/Output: Cable/Antenna RF, Audio/Video, PC-RGB (VGA), PC Audio Jack, USB Input, Earphone Audio Jack, Coaxial Output Jack
- Multi-Language On-Screen Display (Optional)
- Full Function Remote Control
- Wall Mountable
- Power Supply: AC 100-240V, 50-60HZ
- Power Consumption in Operation: ≤60W
- Power Consumption in Stand By: ≤0.5W

UPC: 818443010780

5





#### TV1701-40 40" Widescreen HD LED TV

Max. Resolution: 1920×1080

■ Display Colors: 16.7 M

- Contrast Ratio: 5000:1

Aspect Ratio: 16:9

Built-In Digital & Analog Tuner

Closed Caption Support

3D Comb Filter & 3D De-Interlace

- Noise Reduction
- Nicam/A2
- EPG Function
- Multi-Language On-Screen Display: English / French / Spanish (Optional)
- Program Control (Lock)

- Easy Setting for TV and Country
- Full-Function Remote Control
- Built-In Speakers
- 3 HDMI Ports
- Input Terminals: Cable and Antenna Jack (RF Input), Audio L/R (CVBS & YPbPr), Y (CVBS)/Pb/Pr, HDMI (x3), PC-RGB (VGA/Computer Monitor), PC Audio Jack, **USB Port**
- Output Terminals: Earphone Jack, Coaxial Output Jack
- Power Supply: AC 100-240V, 50/60Hz
- Max Power Consumption: <80W</p>
- Power Saving Mode: <0.5W</p>



















PORTABLETV

## LED TV/DVD

#### TV1703-7 7" Portable TV ATSC/NTSC with Rechargeable Battery

- Screen Format: 16:9, Viewing Angle: U: 65/D:65 R/L: 70
- Resolution: 800 x 480
- Tune: Modulate: 8VSB, 64QAM ~ 256QAM
- Input: Input Frequency: 54MHZ ~ 803MHZ Input resistance: 75 ohm
- MPEG II Decode:
- Standard of Decode:

ISO/IEC 13818 ~ 2 MPEG2 video MP@HL Support HDTV (1080i, 720p) and Standard SDTV Audio Decode Standard: MPEG1, MPEG2 (Layer 1, 2) and AC3 Two sound track output

- CC Subtitle Support: Yes
- OSD Language: English, Spanish, French
- CATV Channels: 2 ~ 125 Channels Storage
- AIR Channels: 2 ~ 69 Channels Storage
- MTS Function Support: Yes
- Favorite Programs Storage: 5
- SD Card/USB Media Player, Support Audio: MP3
- Support Video: MPEG2, MPEG2 HD, MPEG4, MPEG4 SD, MPEG4 HD, H.264, FLV, MVC, DD
- Support Picture: JPEG
- Connections: A/V Output: 1, A/V Input: 1, Earphone Jack: 1 Power Supply: AC 100~240V 50/60 Hz/DC 12V
- Battery: Rechargeable Battery: 900 mAh
- Accessories: AC/DC Adapter (AC 100V-240V Switching). Remote Control, Stand, A/V Cable, User Manual.

UPC: 818443012807

#### TV1703-9 9" Portable TV ATSC with Rechargeable Battery

- 9" Widescreen LCD TV, Built-in Digital TV Tuner
- Built-in Lithium Rechargeable Battery
- Selectable Screen Mode: 16:9, Resolution: 800 x 480
- On Screen Display, AV Input/Output Jack
- Rotary Rod Antenna, Earphone Jack, Built-in Speakers
- AC/DC Operation: Watch Your Favorite, Shows at Home or on the Go
- Full Function Remote Control

#### **GENERAL:**

- Power: UL Approved Adapter: AC 100-240v-, 50/60Hz & DC 9-12 Volt Compatibility
- Maximum Power Consumption: 18W
- Input Terminals: Component, Audio/Video/ Audio Headphones















HD YUSB HDMI AZONE PIGITAL TY

DVD SPD FC (E (1) C)







### 13.3" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1366 X 768
- Brightness: 200 cd/m2, Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- Built in USB Input Slot & SD Card Reader, HDMI Input
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS Input**
- Multi-language On Screen Display
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: 1W


UPC: 818443010711

#### TVD1801-15 15.6" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1366 X 768
- Contrast Ratio: 800:1
- Brightness: 330 cd/m2, Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot & SD Card Reader, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS** Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤24W
- Power Consumption in Stand by: 1W









### LED TV/DVD

#### TVD1801-19 19" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1366 X 768
- Contrast Ratio: 800:1
- Brightness: 250 cd/m2, Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner +DVD
- 12V Car Cord Technology
- Built in USB Input Slot & SD Card Reader, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, **CVBS** Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤32W
- Power Consumption in Stand by: 1W

UPC: 818443010735







#### TVD1801-24 24" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2, Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot & SD Card Reader, HDMI Input
- Multi-language On Screen Display
- Input Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤48W
- Power Consumption in Stand by: 1W

UPC: 818443010759

#### TVD1801-22 22" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1920 X 1080
- Contrast Ratio: 1000:1
- Brightness: 250 cd/m2, Aspect Ratio: 16:9
- Built in Digital and Analog Television Tuner + DVD
- 12V Car Cord Technology
- Built in USB Input Slot & SD Card Reader, HDMI Input
- Multi-language On Screen Display
- Terminal: Cable / Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input. USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included)
- AC Power Adapter and 12V Car Cord
- Heavy Duty 12V AC/DC Protection
- Power Supply DC12V / AC100-240V 50/60Hz
- Power Consumption in Operation: ≤36W
- Power Consumption in Stand by: 1W

UPC: 818443010742

9







### TVD1801-32 32" Widescreen **HD LED TV DVD COMBO**

- Max Resolution: 1366 X 768
- Contrast Ratio: 3000:1, Aspect Ratio: 16:9
- Built-in Digital and Analog Television Tuner + DVD
- Built-in Speakers
- 3-D video noise reduction
- 3D video decoding and Chroma separation
- Built-in USB Input Slot & SD Card Reader, HDMI Input
- Multi-language On Screen Display -English, French, Spanish (optional)
- Input Terminal: Cable, Antenna RF, Audio/Video, VGA (Computer Monitor), PC Audio Jack, HDMI Input, SD Card Slot, USB Input, Earphone Audio Jack, Coaxial Output Jack, CVBS Input
- Full Function Remote Control
- Wall Mountable (Wall Mount Not Included), Stand Included
- Power Supply: AC100-240V 50/60Hz
- Power Consumption in Operation: ≤60W
- Power Consumption in Stand-By: 0.5W

UPC: 818443010797



DVD SD FC (E (1) C



# BLUETOOTH SOUND BARS



### 37" Slim Bluetooth 2.1 Sound Bar

- Built-in Subwoofer
- USB 2.0 Full Speed, SD Card Slot, Built-In FM PLL Radio
- 3.5mm Aux Jack/RCA L/R Audio
- With Unit Stand and Wall Mounting
- Volume control
- Ample full range sound quality
- Support Bluetooth profiles A2DP wireless stereo and AVRCP wireless remote
- Bluetooth LED indicator
- Operating range up to 10m (measure in open space, walls and structures may affect range)
- Optical In-Jack
- Output Power: 10Wx2 + 30W = 50W at 10% THD
- Full Function Remote Control


UPC: 818443011107







#### **SBBT1205** 37" Slim Bluetooth 2.0 **Sound Bar with NFC**



- PLL FM Radio, NFC, LED Display
- Electronics Up/Down Volume Control
- Support Bluetooth Profiles A2DP Wireless Stereo and AVRCP Wireless Remote
- Bluetooth LED Indicator

- RCA L/R Audio Aux In
- 3.5mm Aux In Jack
- Full Function Remote Control
- External AC/DC Power Adapter

With Unit Stand or Wall Mount









UPC: 818443013545



- Audio Output: Digital Amplifier 2.1CH
- Audio Input: Bluetooth, Optical Line-In, 3.5mm Jack
   Speaker Parameter: 3"x4 4 Ohm Line-In, FM Radio
- LED Light Indicator

11

■ Power Output: 15W x 4 = 60W

- ETL-Certified Power Adapter
- Full Function Remote Control

UPC: 818443013088





## 2.1 Dynamic Sound Bar

SBBT1207 33" Slim Bluetooth

- 2.1 CH, Output Power (RMS): 15W x 2 + 40W
- Provides Quality Sound for your favorite movies, shows, games & music. Tabletop or Wall-Hung Design.
- Dynamic listening experience. High-definition drivers deliver power sound over a broad audio spectrum.
- eAirbass technology. USB port for MP3 playback.
- For firm depth and resolution.
- Inputs: Optical x1, Coaxial x1, RCA (R,L) x1, 3.5mm Aux-In x1
- Includes Remote Control.
- Bluetooth v3.0 + EDR

UPC: 818443013415



### SBBT1207-2 33" Slim Bluetooth 2.0 Dynamic Sound Bar

- 2.0 CH, Output Power (RMS): 25W x 2
- Provides Quality Sound for your favorite movies, shows, games & music. Tabletop or Wall-Hung Design.
- Dynamic listening experience. High-definition drivers deliver power sound over a broad audio spectrum.
- eAirbass technology. USB port for MP3 playback.
- For firm depth and resolution.
- Inputs: Optical x1, Coaxial x1, RCA (R,L) x1, 3.5mm Aux-In x1
- Includes Remote Control.
- Bluetooth v3.0 + EDR

UPC: 818443013422



A 2015

#### SBBT1208 33" Slim **Bluetooth Dynamic Sound Bar** with Wireless Subwoofer

- 4 x 2" full range speaker drivers.
- 150Hz 19.5kHz frequency range to deliver rich, high-quality audio.
- Output power (RMS): 15W x 2 + 70W (subwoofer)
- Long-throw, high-excursion driver & 40 150Hz frequency range providing deep, powerful bass. 60' wireless range allows flexible placement options.
- DSP control, user-friendly volume buttons, slim design.
- Inputs: Optical x1, Coaxial x1, RCA (R,L) x1, 3.5mm Aux-In x1. HDMI in and out (optional).
- USB port for MP3 playback. Remote Control included.
- Tabletop or Wall-Mountable Design.
- Bluetooth v3.0+EDR

UPC: 818443013439

BLUETOOTH SOUND BARS





#### SBBT1208-2 33" Slim **Bluetooth Dynamic Sound Bar** with Wired Subwoofer

- 4 x 2" full range speaker drivers.
- 150Hz 19.5kHz frequency range to deliver rich, high-quality audio.
- Output power (RMS): 15W x 2 + 70W (subwoofer)
- With a long-throw, high-excursion driver & 40 150Hz frequency range providing deep, powerful bass.
- DSP control, user-friendly volume buttons, slim design.
- Inputs: Optical x1, Coaxial x1, RCA (R,L) x1, 3.5mm Aux-In x1. HDMI in and out (optional).
- USB port enables connection of a compatible storage device for MP3 playback. Remote Control included.
- Tabletop or Wall-Mountable Design.
- Bluetooth v3.0+EDR















## BLUETOOTHSPEAKERS

# BLUETOOTH SPEAKERS

#### SPBT1031 Indoor/Outdoor **Cylinder Bluetooth Speaker** with 3" Subwoofer and 2" Horn

- Output has very clear sound and heavy bass, as well as dynamic sound effects.
- With A2DP Bluetooth, wirelessly stream music from any Bluetooth-enabled device such as your mobile phone, laptop computer, iPhone or iPad.
- Secure simple pairing for user-friendly operating.
- USB and SD Card Support, and Line-In Function.
- Line-in function: suitable for PC, MID, TV and other audio devices.
- Side panel control for volume, with strap for easy portability.
- Built-in Lithium Rechargeable Battery (1000 mAh).
- Frequency Response: 100-20 KHz.

COLOR: Black COLOR: Blue	MODEL: SPBT1031-BK MODEL: SPBT1031-BL	
COLOR: Red	MODEL: SPBT1031-RD	
COLOR: Yellow	MODEL: SPBT1031-YL	UPC: 818443012937

















- 2.1 Indoor/Outdoor Passive Hi-Fi Bluetooth Speaker with 51/4 inch Subwoofer.
- Output has very clear sound and heavy bass, dynamic sound effect.
- With A2DP Bluetooth, wirelessly stream music from any Bluetooth-enabled device such as your mobile phone, notebook, iPhone or iPad.
- Secure simple pairing for user-friendly operating.
- 10 meter operating range, with USB and SD card support.
- With FM radio & EQ function, LED display
- With Line-in function, suitable for PC, MID, TV & other audio device.
- Two gear control for volume and bass.
- Built-in lithium rechargeable battery (1000 mAh).
- With handle & strap for easy portability.
- Frequency Response:100-20Khz, Power supply: DC5V

COLOR: Black MODEL: SPBT1032-BK UPC: 818443012951 COLOR: Bronze MODEL: SPBT1032-BR UPC: 818443012999



13

























#### **SPBT1033** 2.1 Indoor/Outdoor Passive **HIFI Bluetooth Speaker** with 4" Subwoofer

- With A2DP Stereo Bluetooth, wirelessly stream music from any Bluetooth-enabled device such as your mobile phone, notebook, iPhone or iPad
- 10 meters operating range
- With Micro SD card support
- With FM radio
- With Line-in function, suitable for PC, MID, TV and other audio device.
- Side panel control for volume
- Built-in lithium rechargeable battery 1000mAh
- With handle, easy to take out.











#### **SPBT1034** 2.1 CH Indoor/Outdoor **Active HIFI Bluetooth** Speaker with 6" Subwoofer

- Output: very clear sound and heavy bass, dynamic sound effects
- With A2DP Bluetooth, wirelessly stream music from any Bluetooth-enabled device such as your mobile phone, notebook, iPhone or iPad
- Secure simple pairing for user-friendly operation
- 10 meters operating range
- With USB and SD card support
- With FM radio
- With Line-in function, suitable for PC, MID, TV and other audio devices























# BLUETOOTHSPEAKERS



#### **SPBW1035**

#### Portable Waterproof (IPX6) Bluetooth Speaker with Speakerphone

- Bluetooth version: 3.0
- Frequency: 2.402-2.480GHZ
- Transmission Power: CLASS2 4dbm
- Transmission Distance: 10M
- Profile: A2DPV1.2, AVRCPV1.0, HFPV1.5
- SNR: ≥80DB, Output Power: 2 x 3W
- Frequency Response: 20HZ-20KH
- Distortion: ≤1%
- Input: DC5V±0.5/500MA
- Battery: Built-in lithium battery 1000mah
- Charge Time: 2-3 hrs
- Play Time: 7 hrs (50% volume in Bluetooth mode )
- Speaker size: 3Ω 3W x 2

COLOR: Black/Black COLOR: Black/Orange COLOR: Black/Pink COLOR: Black/Red COLOR: Blue/Black COLOR: Camo/Black COLOR: Grav/Black COLOR: Orange/Black COLOR: Red/Black COLOR: Yellow/Black COLOR: Black/Yellow

COLOR: Black/Blue

MODEL: SPBW1035-BK-BK MODEL: SPBW1035-BK-OR MODEL: SPBW1035-BK-PK MODEL: SPBW1035-BK-RD MODEL: SPBW1035-CA-BK MODEL: SPBW1035-GY-BK MODEL: SPBW1035-OR-BK MODEL: SPBW1035-RD-BK MODEL: SPBW1035-YL-BK MODEL: SPBW1035-BK-YL MODEL: SPBW1035-BL-BK














UPC: 818443013262





- Power Output: 3W, Audio Input: Bluetooth, Aux
- Built-In Battery: 300 mAh
- S/N: >80dB
- Dimensions: 2.52" (64mm) Radius x 9.05" (230mm)











### SPBW1037 Shower FM Band Radio & Bluetooth Speaker

- FM Band Radio, Speaker with Bluetooth, Splash Proof (IP4)
- Tunable Bing Hook Design, Uses 3 AA Batteries

COLOR: White MODEL: SPBW1037-WT UPC: 818443013385 COLOR: Green MODEL: SPBW1037-GN UPC: 818443013392 COLOR: Yellow MODEL: SPBW1037-YL UPC: 818443013187



15





















#### SP1002

Hi-Fi stereo speaker, powerful sound


PORTABLE SPEAKERS

- Supports USB & SD card
- With LED Display Only show the digital number
- Line-in Function, can support ext. audio players (iPod, iPhone, iPad, MP3/MP4/Computer etc.)
- Built-in rechargeable battery
- FM PLL Radio, Material: wood

COLOR: Gold

MODEL: SP1002-SL UPC: 818443010940

MODEL: SP1002-RD UPC: 818443010919 MODEL: SP1002-BL UPC: 818443010926 MODEL: SP1002-GL UPC: 818443010933



Comes with remote control

■ Frequency Response: 200-20KHZ

Battery capacity: 800mAh

DC charger: 5v

Accessories: charge cable, audio cable, manual, remote control


















#### **SP1003**

- Hi-Fi Stereo Speaker with Subwoofer
   Input: 5V, draws power from PC or
- With LED screen display, USB & SD card support, FM radio, & handle for easy transport
- Built-in rechargable battery 1200mAh
- Material: wood
- Side panel control for volume & bass
   3W rms 2 at 10% THD: 3-in.
- Audio input suitable for PC, MID, TV, iPhone, iPad, & other audio devices
- Very clear sound & heavy bass for music, dynamic sound effect, virtual surround sound

MODEL: SP1003-RD UPC: 818443010957 MODEL: SP1003-BL UPC: 818443010964 MODEL: SP1003-GL UPC: 818443010971 COLOR: Silver MODEL: SP1003-SL UPC: 818443010988



Frequency Response: 200-20KHZ

adapter chargers, no AC adapter

4-in. diameter paper cone driver

DC charger: 5v

■ 10W 1 rms at 10% THD:

speaker, bass sound

required

 Accessories: charge cable, audio cable, manual, remote control



#### SP1004

COLOR: Red

COLOR: Blue

COLOR: Gold

- Hi-Fi Stereo Speaker with Subwoofer
- FM PLL Radio, LED screen display, USB, & SD card
- Built-in rechargable battery 1200 mAh Side panel control for volume & bass
- Audio input suitable for OC, MID, TV, iPhone, iPad, & other audio devices
- DC Charger: 5V
- Very clear sound and heavy bass for music, dynamic sound effect, virtual surround sound

**ESS** 2015

COLOR: Red

MODEL: SP1003-RD UPC: 818443010995 MODEL: SP1003-BL UPC: 818443011008

MODEL: SP1003-GL UPC: 818443011015 MODEL: SP1003-SL UPC: 818443011022

3in. diameter paper cone driver speaker Frequency Response: 200-20KHZ

Input: 5V draws power from PC or

other charges, no AC adapter

4-in diameter paper cone driver

• 10W 1rms at 10% THD:

speaker, bass sound

• 3W rms 2 at 10% THD:

required















WIFFISPEAKERS

# WI-FISPEAKERS

#### SPWF1301 Wi-Fi Speaker System

- Power Output: 6W = 3W x2
- Driver Unit: 2.5" Full Range x2
- Distortion: 0.5% @1W
- Separation: ≥40dB (1KHz)
- Frequency Response: 80Hz-20KHz
- S/N: ≥70dB
- Function Specs: Wi-Fi, Power, Volume +/-, Play/Pause, Supports Aux-In, DC Power Supply
- Dimensions: 11.61" (295mm) W x 3.74" (95mm) H x 3.93" (100mm) D

UPC: 818443013453



#### SPWF1302 Wi-Fi Speaker System

- Power Output: 6W = 3W x2
- Driver: 3" Full Range x2
- Distortion: 0.5% @1W
- Separation: ≥40dB (1KHz)
- Frequency Response: 80Hz-20KHz
- S/N: ≥70dB
- Function Specs: Wi-Fi, Power, Vol +/-, Play/Pause, Supports Aux-In, DC Power Supply
- Dimensions: 11.02" (280mm) W x 3.93" (100mm) H x 4.72" (120mm) D

UPC: 818443013460



#### SPWF1303 Wi-Fi Speaker System

- Power Output: 6W = 3W x2
- Driver Unit: 2.5" Full Range x2
- Distortion: 0.5% @1W
- Separation: ≥40dB (1KHz)
- Frequency Response: 80Hz-20KHz
- S/N: ≥70db
- Function Specs: Wi-Fi, Power, Vol +/-, Play/Pause, Supports Aux-In, DC Power Supply
- Dimensions: 11.02" (280mm) W x 3.75 (95mm) H x 3.93" (100mm) D
- Available in 2 colors: Brown/Black, Black/Black

COLOR: Brown/Black MODEL: SPWF1303-BR-BK UPC: 818443013477 COLOR: Black/Black MODEL: SPWF1303-BK-BK UPC: 818443013484
























- Built-In Amplifier/Recorder/Speakers
- Built-In Wi-Fi Receiver and Generator Devices
- Connectable with Wireless Device (such as mobile phone, tablet, PC laptop, etc.)
- Suitable for iOS, Android, and Windows Operating Systems
- Exclusive/Patent Design Outlook, Slim, Curved, Metallic, Elegant
- Air Pipe Technology, Complex DSP System Application
- Playback/Record Functions
- SD Playback, Aux-Input, Unbelievable Bass
- Unbelievable Energy Power Output
- Music Formats Supported: MP3, WMA, RA, AAC+, WAV, APE, FLAC
- Full Functions: Wi-Fi Direct Mode, Wi-Fi WLAN Mode, SD Card Playback, Record Function, 3D Expand Mode, Multi-Room Control.
- Unbelievably Low Price. High Rate Function for the Price. Comparable to other similar products, but has a lower price.
- Unique Original ARC Shape Design. Super Thin 2.32" (59mm) only.

COLOR: Black COLOR: Gold COLOR: Champagne COLOR: Silver

MODEL: SPWF1304-GD MODEL: SPWF1304-CH MODEL: SPWF1304-SL


MODEL: SPWF1304-BK

MPSIMP4 TABLETS LAPTOPS GAME MOBILE PHONES WIRELESS WIRELESS

UPC: 818443013521

UPC: 818443013491

UPC: 818443013507









2x2.5" SPEAKERS







# MINI ENTERTAINMENT SYSTEM

# ACTION CAM

#### MSBT3908 Mini Entertainment **System with Bluetooth**

- Output Power: 20W + 10Wx2pcs
- Frequency Response: 40Hz-20KHz
- S/N Ratio: ≥70dB, Separation: ≥40dB
- Bass Unit: 4", Satellite Unit: 2.75" x 2
- With USB, SD, FM Radio, Remote Control, Bluetooth

UPC: 818443013286

mote Control and Audio Cables included with User Manual. Batteries not included





### **MSBT3909 Mini Entertainment System with Bluetooth**

- Output Power: 20W + 10Wx2pcs
- Frequency Response: 40Hz-20KHz
- S/N Ratio: ≥70dB, Separation: ≥45dB
- Bass Unit: 4", Satellite Unit: 2.75" x 2
- With USB, SD, FM Radio, Remote Control, Bluetooth

UPC: 818443013293

\*\*Remote Control and Audio Cables included with User Manual, Batteries not included.





#### **MSBT3910 Mini Entertainment System with Bluetooth**

- Output Power: 50W + 18Wx2pcs
- Frequency Response: 40Hz-20KHz
- S/N Ratio: ≥70dB, Separation: ≥45dB
- Bass Unit: 6.5", Satellite Unit: 3" x 2
- With USB, SD, FM Radio, Remote Control, Bluetooth

UPC: 818443013309



### **MSBT3911 Mini Entertainment System with Bluetooth**

- Output Power: 20W + 5Wx5pcs
- Frequency Response: 40Hz-20KHz
- S/N Ratio: ≥70dB, Separation: ≥45dB
- Bass Unit: 4", Satellite Unit: 2.75" x 5
- With USB, SD, FM Radio, Remote Control, Bluetooth

UPC: 818443013316

19






#### CS3601 HD 720p ActionCam

- 720P H.264 + 140° View Angle + Waterproof Case
- Chipset: Sunplus 1521
- Display: 1.5-inch LCD
- Video: 1280 x 720 pixels 30fps (H.264), 848 x 480 pixels 60fps (H.264)
- Super Wide Angle lens: 140 degree
- Waterproof up to 30m (IP68 certified)
- Multi-Language: Yes
- Battery: 900mAh
- Battery life: 1.5 hour
- Input/Output: Micro USB port
- Sensor: GC1004

UPC: 818443013149













### CS3602 Full HD 1080p ActionCam

- 1080P H.264 + 170° View Angle + Waterproof Case Sunplus 6330A
- Display: 1.5-inch LCD
- Video:1920 x 1080 pixels 30 fps (H.264), 1280 x 720 pixels 60 fps (H.264)
- Super Wide Angle lens: 170 degrees
- Waterproof up to 30m (IP68 certified) Multi-Language: Yes
- Battery: 900mAh
- Battery life: 1.5 hour
- Input/Output: Micro USB port/ HDMI port
- Sensor: OV2710

























# PORTABLE BOOM BOX

#### **PBBT2701 Portable Radio CD/MP3/USB Boombox** with Bluetooth

- Portable CD/MP3 Player & FM PLL Stereo Radio & USB Reader with Bluetooth Reception
- Support Bluetooth Profiles A2DP Wireless Stereo
- Bluetooth Operating Range up to 10 Meters (Open Area)
- Top Loading Programmable MP3/CD Compact Disc Playing
- FM Stereo Radio, FM PLL Tuning System
- Rotary Volume Control, 3.5mm Aux-In Jack
- USB 2.0 Full-Speed Host
- Output Power: 1.2W x 2 = 2.4W @10%THD
- Standby Indicator, Operated by AC/DC
- Uses 8 pcs Size "UM2" or "C" Batteries (not included)

UPC: 818443011060 \*\*Remote Control included. \*\*Batteries not included.















#### **PBBT2702 Portable Radio CD/MP3/USB/SD Boombox** with Bluetooth

- Portable PLL FM & CD / MP3 / USB / SD Player / AUX IN / Bluetooth
- Support Bluetooth Profiles A2DP Wireless Stereo
- Bluetooth Operating Range up to 10 meters (Open area)
- Loading Programmable MP3 / CD / USB / SD Playing
- PLL FM Stereo Radio, PLL Digital Turning System
- Electronic Volume Control
- 10 Sec. Esp for CD and 40 Sec. Esp. for MP3
- USB 2.0 Full Speed Host, Operated by AC/DC
- Output Power: 2.5W x 2 = 5W @10%THD
- 3.5mm Aux-In Jack
- Uses 8 pcs Size "UM2" or "C" Batteries (not included)

UPC: 818443011084 \*\*Remote Control included. \*\*Batteries not included.

















# PORTABLE BOOM BOX



#### **PBBT2709 Portable FM Radio** CD/MP3/USD/SD Boombox with Heavy Bass and Bluetooth

- Compatible: MPEG4, CD/CD-R/CD-RW, HDCD, MP3, WMA
- Supports: USB, SD Card, AUX, FM radio, Microphone Input, Bluetooth
- LCD display, Y/Cb/Cr Output
- Power Requirement: AC 100-240V (wide range)
- Output Power: 15W x 2 (RMS)

COLOR: Silver/Black COLOR: Silver COLOR: Blue COLOR: Red

MODEL: PBBT2709-BK MODEL: PBBT2709-SB MODEL: PBBT2709-SL MODEL: PBBT2709-BL MODEL: PBBT2709-RD


















## PORTABLE BOOM BOX

# PORTABLE BOOM BOX

#### **PB2703 Portable AM/FM Stereo CD/MP3/USB/SD Boombox**

- Power Supply: AC 120V 60HZ / DC 12V Size "C" 8pcs
- Power Consumption: 15W
- Dimensions of Unit: 11.8"(W) X 10.6"(H) X 5.4"(D)
- Radio Frequency Range: FM: 88-108, MHZ AM: 530-1600KHZ
- Antenna: FM: Telescopic Rod; AM: Ferrite Bar
- CD Section: Top-Loading CD/MP3 Player
- CD Size: 5" & 3" Compatible
- Speaker Size: 3"

UPC CODE RED: 818443011916 BLACK: 818443011909





### **PB2704 Portable AM/FM Stereo CD/MP3/USB/SD Boombox**

- Power Supply: AC 120V 60HZ / DC 12V Size "C" 8pcs
- Power Consumption: 15W
- Dimensions of Unit: 13.9"(W) X 10.3"(H) X 5.8"(D)
- Radio Frequency Range: FM: 88-108, MHZ AM: 530-1600KHZ
- Antenna: FM: Telescopic Rod; AM: Ferrite Bar
- CD Section: Top-Loading CD/MP3 Player
- CD Size: 5" AND 3" Compatible
- Speaker Size: 3"

UPC CODE RED: 818443011930 BLUE: 818443011923

\*\*Remote Control included. \*\*Batteries not included.





#### PB2705-BK - Portable AM/FM Radio, CD/MP3 Player, USB/SD & Cassette **Recorder Boombox**

- CD/MP3 player
- AM/FM analog radio
- Cassette Recorder
- USB Port and SD/MMC Slot (up to 32G) for MP3/WMA playback
- 3.5mm earphone jack
- 3" loudspeakers x 2
- RMS Output Power: 2W x 2
- Supports 8 "D" size batteries
- AC/DC dual operation
- Accessories: Detachable

Power Cord

UPC: 818443012074

23











#### **PB2706 Portable AM/FM Stereo CD/MP3/USB Boombox**

- AM/FM Stereo Radio
- USB 2.0 Full Speed
- 3.5 MM Auxiliary Jack
- Output Power: 1.2W x2 Total 2.4W
- AC/DC Power
- AC 110-120V Direct Connect

UPC: 818443010803

\*\*Batteries not included






#### **PB2707 Portable AM/FM Stereo** CD/MP3/USB/SD Boombox

- AM/FM Stereo Radio
- SD/MMC Card Slot
- USB 2.0 Full Speed
- 3.5 MM Auxiliary Jack
- Output Power: 2.5W x2 Total 5W
- AC 110-120V Direct Connect

UPC: 818443010810

\*\*Batteries not included













- CD/MP3 Player and AM/FM Stereo Radio
- LCD Screen Display
- 3.5 mm Auxiliary Jack
- Output Power: 1.2 W x 2 = Total 2.4W
- AC/DC Power

\*\*Batteries not included.

- AC 120V Direct Connect

UPC: 818443012944

FC mp3 Vuse

















# MODERALE TO 7"

#### TA3G2524-7

#### 7" Dual Core Tablet with 3G Wireless

- CPU: AMLogic MTK8312 Dual Core Cortex A7 1.3 GHZ
- OS: Android<sup>™</sup> 4.2 Jelly Bean
- 7" 16:9 display 1024x600 Resolution
- 4GB Storage, 1 GB memory, Sensor; G-Sensor
- Support (GSM 850/900/1800/1900, WCDMA 2100/850)
- Wi-Fi (802.11 b/g/n), Supports 3G dongles & Ethernet w/Adapter
- Supports all video formats including 1080P
- Dual Camera photos & video camera 0.3/2.0MP
- 2.800 mAh Battery up to 5 hours Playtime
- Input / Output: Mini USB Port, 3.5mm Stereo Headphone Jack, Micro SD Card Slot, HDMI Port

COLOR: Black	MODEL: TA3G2524-7BK	UPC: 818443011572
COLOR: White	MODEL: TA3G2524-7WT	UPC: 818443011589
COLOR: Red	MODEL: TA3G2524-7RD	UPC: 818443012593
COLOR: Pink	MODEL: TA3G2524-7PK	UPC: 818443012609





# **Dual Core ATSC TV Tablet**

- CPU: AMLogic MTK9726-MX or Allwinner A20 Dual Core
- OS: Android<sup>™</sup> 4.2 Jelly Bean

TATV2525-7 7"

- 7" 16:9 Display 1024x600 Resolution
- 8GB Storage, 1 GB Memory, Sensor: G-sensor, Bluetooth
- Wi-Fi (802.11 b/g/n), Supports 3G dongles & Ethernet w/Adapter
- Supports all video formats including 1080P
- Dual Camera photos and video camera 0.3/2.0MP
- 3,000 mAh battery up to 5 hours playing time
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Micro SD Card Slot, HDMI Port

MODEL: TATV2525-7BK COLOR: Black MODEL: TATV2525-7WT COLOR: White





#### TA2522-7 7" Quad Core Tablet


- CPU: Allwinner Quad Core A31, Rockchip 3126, or MTK 8382
- OS: Android<sup>™</sup> 4.2 Jelly Bean
- 7" 16:9 Display 800x480 Resolution
- 4GB Storage, 1GB Memory, Sensor: G-Sensor
- Wi-Fi (802.11 b/g/n), Supports 3G Dongles & Ethernet w/Adapter
- Supports all video formats including 1080P
- Dual Camera photos & video camera 0.3/0.3MP 1.3-2 MP still pictures
- 2,800 mAh battery up to 6 hours playing time
- Input / Output: Mini USB Port, 3.5 MM Stereo Headphone Jack, Micro SD card slot, HDMI port

COLOR: Black MODEL: TA2522-7BK COLOR: Red MODEL: TA2522-7RD

COLOR: White MODEL: TA2522-7WT









#### TA2518-9 9" Quad Core Tablet

- CPU: Allwinner Quad Core A31 or MTK 8127
- OS: Android 4.2 Jelly Bean
- 9" 16:9 Display 1024x600 Resolution
- 8GB Storage, 1GB memory
- Sensor: G-Sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Supports 3G dongles & Ethernet w/Adapter

COLOR: Black MODEL: TA2518-9BK COLOR: White MODEL: TA2518-9WT COLOR: Red MODEL: TA2518-9RD COLOR: Pink MODEL: TA2518-9PK

- Supports All Video Formats up to 1080P
- Dual Camera photos and video camera 0.3/0.3MP 1.3-2 MP still pictures
- 4000 mAh Battery up to 6 hours Playtime
- Input/Output: Mini USB Port, HDMI Port, 3.5mm Stereo Headphone Jack, Micro SD card slot





TABLETS 9" AND 10.1" @named

- CPU: MTK8127 Quad Core 1.3 GHZ
- Operating System: Android<sup>™</sup> 4.4 KitKat
- 10.1" 16:9 display 1024x600 pixel resolution
- 1GB Storage, 8GB Memory
- Sensor: G-sensor
- Wireless & Cellular: Wi-Fi (802.11 b/g/n), Supports 3G dongles & Ethernet with Adapter

COLOR: Black MODEL: TA2520-10BK COLOR: White MODEL: TA2520-10WT FC CEROHS USB \* HDMI HD & \* COLOR: Red MODEL: TA2520-10RD COLOR: Pink MODEL: TA2520-10PK



• 0.3+2.0M Camera

GPS, FM, Bluetooth



Jack, Micro SD Card Slot, HDMI Port

Supports All Video Formats including 1080P

• 5,000 mAh Battery, up to 6 Hours Playing Time

• Input / Output: Mini USB Port, 3.5 MM Stereo Headphone







Box Content: AXESS Tablet User Manual U.S. Type Plug Charger
\*One year limited warranty with proof of purchase. \*\*Actual available tablet unit might have a different casing than specified in the picture.





## POWER BANKS

#### CKRD3801 0.6" LED PLL Clock Radio

- AM/FM PLL Radio
- 20 Preset Stations
- Dual Alarm
- LED Display
- Wake Up by Radio or Buzzer
- Snooze
- AC Powered
- DC 3V Backup
- UPC: 818443013330



#### CKRD3802 1.2" LED PLL Clock Radio

- AM/FM PLL Radio
- 20 Preset Stations
- Dual Alarm
- LED Display
- Wake Up by Radio or Buzzer
- Snooze
- AC Powered
- DC 3V Backup
- UPC: 818443013347



#### CKRD3803 0.9" LED PLL Clock Radio

- AM/FM PLL Radio
- 20 Preset Stations
- Dual Alarm
- LED Display

- Wake Up by Radio or Buzzer
- Sleep
- Snooze
- UPC: 818443013354



#### CKRD3804 1.8" LED PLL Clock Radio

- AM/FM PLL Radio
- 20 Preset Stations
- Dual Alarm
- LED Display
- Wake Up by Radio or Buzzer
- Sleep, Snooze
- AC Powered
- DC 3V Backup
- UPC: 818443013361



#### PR3201 AM/FM Portable Radio

- Frequency:
- AM: 530-1600KHZ, FM: 76-108MHZ Output power: >/=100mW
- Sensitivity: AM</=5mV/m, FM</=20UV</li>
   Size: 133\*72\*33mm
- AM S/N: >/=34DB
- Speaker: diameter 57mm/ 40hm/0.25w

FC ()

#### PR3203 AM/FM Portable Radio

- AM/FM Band Radio
- 3.5mm Earphone Jack
- Band Switch
- Built-In Speaker

27

- Direct Tuning/Rod Antenna
- Volume with Power On/Off Switch

Power: DC 3v, 2\*AA 1.5V battery

- Power LED Indicator
- AC/DC Powered
- UPC: 818443013378













#### PP3125

- Capacity: 2600mah, Li-ion 18650 battery cell
- Materials: metal case
- Lifetime: over 1000 times
- Input: 5V, 800mA, Output: DC 5V, 1A
- Colourful, fashionable, and easy carrying
- Available Color: white, black, blue, green, vellow, gold

COLOR: Black	MODEL: PP3125-BK	UPC: 818443012708
COLOR: Blue	MODEL: PP3125-BL	UPC: 818443012739
COLOR: Gold	MODEL: PP3125-GD	UPC: 818443012876
COLOR: Green	MODEL: PP3125-GR	UPC: 818443012869
COLOR: Pink	MODEL: PP3125-PK	UPC: 818443012883
COLOR: Purple	MODEL: PP3125-PR	UPC: 818443012746
COLOR: Red	MODEL: PP3125-RD	UPC: 818443012722
COLOR: Silver	MODEL: PP3125-SL	UPC: 818443012715













#### **PP3128**

- Long Lasting High Capacity Power Bank
- Universal for Portable Devices
- Capacity: 2.200mah. Rechargeable Li-ion 18650 battery cell
- Materials: metal case
- Lifetime: ≥1000 times
- Input: 5V, 800mA, Output: DC 5V, 1A
- Colorful, fashionable, and easy carrying

COLOR: Black MODEL: PP3128-BK UPC: 818443013002 MODEL: PP3128-BL COLOR: Blue UPC: 818443013033 COLOR: Gold MODEL: PP3128-GD UPC: 818443013064 MODEL: PP3128-GR COLOR: Green UPC: 818443013057 COLOR: Pink MODEL: PP3128-PK UPC: 818443013071 MODEL: PP3128-PR COLOR: Purple UPC: 818443013040 MODEL: PP3128-RD UPC: 818443013026 COLOR: Red MODEL: PP3128-SL UPC: 818443013019 COLOR: Silver











#### **PP3132**

- Long Lasting High Capacity Power Bank with Keychain
- Universal for Portable Devices
- Capacity: 2,200mah
- Rechargeable Lithium ion 18650 battery cel
- Materials: metal case
- Lifetime: ≥1000 times
- Input: 5V, 800mA Output: DC 5V. 1A
- · Colorful, fashionable, and easy carrying



**ESS** 2015















## POWER BANKS

# POWER BANKS

#### PP3104

- LCD
- Perfect Appearance, High capacity
- Digital display shows charge time & discharge time
- Dual USB
- Capacity 7800mAh
- Recharging time of power bank 19hrs
- Input port: Micro USB
- Output port: USB\*2
- Input voltage/current: DC 5V 1A
- Output voltage/current: DC 5V 1A/2.1A







### **PP3113**

- Capacity: 10000mAh
- Input: DC 5V/1A
- Dual Output: DC 5V/1A
- Built-in Li-polymer Batteries
- Accessories: USB to Micro USB Cable x 1
- Colors: White, Pink, Green, Yellow
- Case Material: PC + ABS
- 4 pcs LED lights indicates remaining power
- Certification: CE; RoHS



RoHS





#### PP3119

- Capacity: 8800 mAh
- Input: DC 5V 1A
- Output: DC 5V 2.1A/1A(Dual USB)
- Size: Size:135mm x 48mm x 22mm
- Cycle life: 500times
- Colors: White with Gray Trim, Black with Gray Trim, Gray with Green Trim, Gray with Blue Trim, Gray with Red Trim















#### PP3120

- Capacity: 13,200 mAh
- Input: DC 5V 1A
- Output: DC 5V 1A/2.1A(Dual USB)
- Size: 140mm x 70mm x 23mm
- Cycle life: 500 times
- Colors: White with Gray Trim, Black with Gray Trim, Gray with Green Trim, Gray with Blue Trim, Gray with Red Trim









#### **PP3127**

- Long-Lasting, High-Capacity Power Bank
- Compatible with Most Smartphones & Digital Portable Devices with USB
- Rechargeable Lithium Ion Battery
- With Precise IC Protector
- With LED Torch Light
- Small, Light, Easy to Carry
- 4400 mAh Power

COLOR: Black/Gray MODEL: PP3127-GY

COLOR: Gray/Blue MODEL: PP3127-BL COLOR: Gray/Red MODEL: PP3127-RD COLOR: Gray/Green MODEL: PP3127-GR

UPC: 818443012838 UPC: 818443012852

UPC: 818443013118













#### **PP3129**

- Capacity 6600mAh, Lithium Ion Battery Cell
- Input: DC5V-1000mAh
- Output: DC 5V1000mAh (max) x2
- With Precise IC Protector to Prevent Over-Charging, Over-Discharging, and Short Circuit
- LED Indicator and Torch Light Function


COLOR: Black/Gray MODEL: PP3127-GY COLOR: Gray/Blue MODEL: PP3127-BL COLOR: Gray/Red MODEL: PP3127-RD

COLOR: Gray/Green MODEL: PP3127-GR

UPC: 818443013125 GAME MOBILE CE ROHS 💸









POWER BANKS

# POWER BANKS



#### **PP3130**

- 1-Wired Power Bank with 2,500 mAh & Firewire accessory from microUSB to Firewire
- Input Voltage: DC 5V
- Input current: 1000A
- Capacity: 2500mah
- Output Voltage: DC 5V
- Output current: DC 1A
- Quiescent Current: ≤30uA

Battery Life >500 times

31

• Colors: Black, White, Blue & Red

Battery Life >500 times - Colors: Black, White, Blue & Red




















AXESS







#### PP3121

- Capacity: 5600mAh
- Output: Micro USB 5V / 1A
- Input: USB 5V / 1A
- Size: 97.5mm (L) x 60.9mm (W) x 25mm (T)
- Life Cycle: 500 Times
- Charging Time: 4 Hours













- & Firewire accessory from microUSB to Firewire
- Input Voltage: DC 5V
- Input Current: 1000A
- Capacity: 8000 mAh
- Output Voltage: DC 5V
- Output Current: DC 1A/2.1A
- Battery Life: >500 times
- Colors: Black, White, Blue & Red




















# MICROPHONES

#### MPWL1501-SL

- Wireless or wired microphone
- Professional stage microphone
- Up to 90 FT, working range
- Frequency range: 110 MHz-120MHz
- Modulate mode: FM
- Sensitivity: -36 ±3dB
- Dynamic range: ≥80dB
- Frequency response: 50Hz-15kHz±3kHz
- Working range: up to 90 FT.
- Receiver Power Supply and Voltage: DC 1.5V
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010483





#### MPWL1502-SL

- Wireless or wired microphone
- Professional DJ microphone
- Up to 150 FT. working range
- Frequency range: 110 MHz-120MHz
- Modulate mode: FM
- Sensitivity: -36 ±3dB
- Dynamic range: ≥80dB
- Frequency response: 50Hz-15kHz±3kHz
- Working range: up to 150 FT.
- Receiver Power Supply and Voltage: DC 3V
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010490



#### MP1506-SL

- Professional Wired Microphone
- Model Type: Dynamic Microphone
- Polar Pattern: Uni-directional
- Frequency Response: 80Hz 11kHz
- Sensitivity: -72dB ±3dB (@ 1kHz)
- Impedance: 620Ω ±30% (@ 1kHz)
- Construction: Sponge Ref-Shake Type
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010537

33











#### **MPWL1503-BK**

- Professional Wireless
- Headset Microphone
- Up to 150 FT. working range
- Carrier Frequency: VHF110-120MHz
- Frequency Response: 50Hz-15kHz ±3dB
- Audio Output:
- Freestanding 0 ±400mV
- Receiver Power Supply and Voltage: DC 3V
- Receiver Power Consumption: 4W
- Receiver Sensitivity: 35dBu
- Transmit Power: 8mW Modulation Mode: FM
- Power Supply and Voltage: 3V DC 6.3mm to 3.5mm Adapter

UPC: 818443010506





#### **MPWL1507-BK**

- Carrier Frequency: 110-120 MHz
- RF Sensitivity: 20dB/uV
- S/N Ratio: 50dB
- Frequency Response: 100Hz-14Khz
- Audio Output Level: 100mV
- Transmitter Output Power: 10mW
- Modulation Mode: FM
- Maximum Deviation: 30khz
- Receiver Battery: 1.5V DC
- Transmitter Battery Type: 9V DC
- 6.3mm to 3.5mm Adapter Plug







## MICROPHONES

# EARBUDS & HEADPHONES

#### MPWL1504-BK

- Dual Wireless High Quality Professional Microphones
- Up to 150 FT, working range
- Carrier Frequency: 180-270MHz
- Frequency Stability: ±0.008%
- Dynamic Range: >80dB
- Total Harmonic Distortion: <0.5%</li>
- Frequency Response: 60-12KHz ±3dB
- Receiving Sensitivity: 50uS (SINAD=20dB)
- S/N Ratio: >80dB
- Border Upon Channel Rejection: >75dB

- Image Disturbance Rate: >75dB
- Audio Frequency Output: 0 - ±300mV
- Emission Power: 30mW
- Receive Channel: 2 channel
- Receiver Power Supply: AC 110V/45-60Hz
- Function Validate Distance: Up to 150 FT.
- Battery Requirement: 9VDC
- 6.3mm TO 3.5mm Adapter Plug

UPC: 818443010513





 Dual Professional Wireless Microphones

MPWL1505-BK

- Up to 100 FT, working range
- Carrier Frequency: 110-120MHz
- Frequency Stability: ±0.005%
- Dynamic Range: >80dB
- Total Harmonic Distortion: <0.5%</li>
- Frequency Response: 20-16KHz ±3dB
- Receiving Sensitivity: 50uS (SINAD=20dB)
- S/N Ratio: >85dB
- Border Upon Channel Rejection: >80dB

- Image Disturbance Rate: >80dB
- Audio Frequency Output: 0 - ±300mV
- Emission Power: 30mW
- Receive Channel: 2 channel
- Receiver Power Supply: AC 110V/45-60Hz
- Function Validate Distance: up to 100 FT.
- Battery Requirement: 9VDC
- 6.3mm to 3.5mm Adapter Plug

UPC: 818443010520





#### MPWL1508-BK

- Dual UHF Wireless Microphones
- UHF 16 Channel
- Frequency Range: 680-750MHz, UHF
- Audio Frequency Response: 40Hz~15KHz±3db
- S/N: >90db

35

- Longest distance in open range: 490 ft (150m)
- Ambient Temperature: -4°F to 140°F (-20°C to +60°C)

UPC: 818443013323







#### **EPM109-WT**

- Inline Mic: 58 dB + 5 dB
- Compatible with any device having a 3.5 mm audio jack
- Outstanding sound performance
- Comfortable & sturdy design
- Speaker: 10 mm 6u
- MP3MP4 TABLETO LANGUAGE MOBBLE ADDIO FC &

- Frequency Range: 20 HZ-20KHZ
- Impedance: 28Ω +5
- Sensitivity: 105 dB + 5 dB
- Max Power: 10 mW

UPC: 818443010667



#### **EPMV106**


- With in-line Microphone
- Comfort fit earbud
- Compatible with: iPOD, iPHONE, iPAD
- Speaker Size: 13.5 mm
- Sensitivity: 107 dB ± 3 dB (at 1KHz, 0.5 Vrms)











Plus: 3.5 mm

- Mic Sensitivity: 44 dB+/-3 dB
- Mic Frequency Range: 50-16,000 HzB

UPC: 818443010377





#### HPMV607-SL Volume Control

- Comfortable & sturdy design
- Outstanding sound performance
- Compatible with any PC having a
- 3.5mm audio and mic jacks
- Impedance: 32 ohms 2.2k ohms
- Sensitivity: 100dB -38dB+/5dB
- Frequency range: 20-20kHz, 30-15,000Hz
- Maximum input power: 100mW

UPC: 818443010544










36



## EARBUDS & HEADPHONES

# CONTACTUS

#### HPV609-BK

- Lightweight materials to create a comfortable and easy to wear headphones
- Collapsible headphones for easy storage and mobility
- Large soft ear pads for comfort and no sound leak
- Driver Size: 40mm
- Frequency Range: 14Hz-20,000Hz
- Sensitivity: 115 dB (at 1KHz 1mw)
- Impedance: 32 hm
- Cord Length (approx.): 2.3m
- Cord: Single-sided
- Jack: 3.5mm, nickle-plated
- 3.5mm to 6.3mm adapter included
- With volume control

UPC: 818443010568





#### **HPBT604-BK**

- Built-in Microphone
- Crystal clear sound quality
- Compatible with all Bluetooth enabled devices
- Easy-access controls
- Smart swivel design
- Long battery life Bluetooth version V2.1 +EDR
- Chipset: CSR
- Supported bluetooth profiles: HSP, HFP, A2DP, AVRCP
- Audio mode: Stereo











- Operation range: 10m
- Talking time: 15 hours
- Auto music pause & play back
   Music playing time: 6-8 hours
  - Standby time: 180 hours
  - Charging time: 2-3 hours
  - Dimensions:

19.4cm x 16.5cm x 7cm (unfolded)

UPC: 818443010452









### **Corporate Office & Mailing Address:**

**Axess Products Corporation** 6639 Valjean Ave., Van Nuys, CA 91406, **United States of America** 

Toll Free: 888-232-4145

#### **Follow Us Online:**

Website: www.axessusa.com • www.boombugs.com



Facebook: www.facebook.com/axessusa



Twitter: www.twitter.com/axessusa



Instagram: www.instagram.com/axessusa

